

CIRRHOSIS

Patients with hyponatremic cirrhosis have low-grade cerebral edema and poor quality-of-life 13(3):407-le

Mean platelet volume: a useful predictor of ascitic fluid infection in cirrhotic patients? 13(5):572-le

Mean platelet volume is a useful indicator of systemic inflammation in cirrhotic patients with ascitic fluid infection 13(5):573-le

FIBROSIS

Chemokines: potent mediators of hepatic inflammation and fibrosis in chronic liver diseases 13(1):152-lne

Clinical decisions in Hepatology: The pirfenidone case analysis 13(2):163-ed

Challenges in treating liver fibrosis 13(6):845-le

VIRAL HEPATITIS

Anti-HBC positivity was associated with histological cirrhosis in patients with chronic hepatitis C 13(1):20-oa

Diabetes worsening of hepatitis C cirrhosis: Are alterations in monocytic tissue factor (CD 142) is the cause? 13(1):27-oa

Autoimmune hepatitis in patients with chronic HBV and HCV infections: patterns of clinical characteristics, disease progression and outcome 13(1):127-cr

Hepatitis B in pregnancy: a concise review of neonatal vertical transmission and antiviral prophylaxis 13(2):187-cre

Increase of ribavirin dose improves sustained virological response in HCV-genotype 1 patients with a partial response to peg-interferon and ribavirin 13(2):196-oa

Alopecia universalis after discontinuation of pegylated interferon and ribavirin combination therapy for hepatitis C: a case report 13(2):293-cr

SVR24 rates in patients with HCV genotype 5 and 6 infection treated with peginterferon alfa-2a (40KD) plus ribavirin: results from the real world PROPHECY study 13(2):303-le

Efficacy and safety of long term entecavir in chronic hepatitis B treatment naïve patients in clinical practice 13(3):327-oa

Comparison of two diagnostic algorithms for the identification of patients with HCV viremia using a new HCV Antigen test. 13(3):337-oa

Long term changes in liver histology following treatment of chronic hepatitis C virus 13(4):340-oa

Treatment with Metadoxine and its impact on early mortality in patients with severe alcoholic hepatitis 13(3):343-oa

SUBJECT INDEX VOLUME 13, 2014

Peginterferon alpha-2b plus ribavirin for chronic hepatitis C virus mixed genotype infection 13(4):350-oa

PNPLA3 rs738409 causes steatosis according to viral & IL28B genotypes in hepatitis C 13(4):356-oa

A phase 2 study of filibuvir in combination with pegylated IFN alfa and ribavirin for chronic HCV .. 13(4):364-oa

Molecular surveillance of Hepatitis A virus in Argentina: first subgenotype IB detected in a traveler 13(3):404-cr

Rhabdomyolysis in a hepatitis C virus infected patient treated with telaprevir and simvastatin 13(4):452-cr

Hepatitis B reactivation in patients with multiple myeloma and isolated positive hepatitis B core antibody: a call for greater cognizance 13(4):461-cr

Updating the knowledge of hepatitis E: new variants and higher prevalence of anti-HEV in Argentina 13(5):496-oa

Treatment of chronic hepatitis C genotype 1 early responders with 36 week pegylated interferon and ribavirin therapy 13(5):503-oa

Hepatitis E virus exposure in pregnant women in rural Durango, Mexico 13(5):510-oa

Promotor methylation: Does it affect response to therapy in chronic hepatitis C (G4) or fibrosis? 13(5):518-oa

Hepatitis C virus infection in patients and family members attending two primary care clinics in Puebla, Mexico 13(6):746-oa

Survival of hepatitis C-infected haemophilia patients is predicted by presence of cirrhosis but not by anti-viral treatment ... 13(6):753-oa

Factors associated with spontaneous HBsAg clearance in chronic hepatitis B patients followed at a university hospital 13(6):762-oa

HBsAg expression of liver correlates with histological activities and viral replication in chronic hepatitis B 13(6):771-oa

Adenovirus hepatitis presenting as tumoral lesions in an immunocompromised patient 13(6):827-ih

HEPATOBIILIARY MALIGNANCIES

Predicting outcome in primary biliary cirrhosis 13(4):316-cre

Minimally invasive treatment of Mirizzi's syndrome: is there a safe way? Report of a case series 13(5):558-cr

Cholesterol cholelithiasis in pregnant women: pathogenesis, prevention and treatment 13(6):728-cre

HEPATOCELLULAR CARCINOMA

- Incidence of hepatocellular carcinoma in hepatitis C cirrhotic patients with and without HIV infection: a cohort study, 1999-2011 13(1):38-oa
- Stem cell and hepatocyte proliferation in hepatitis C cirrhosis and hepatocellular carcinoma: transplant implications 13(1):45-oa
- Factors affecting screening for hepatocellular carcinoma 13(2):204-oa
- Is recurrence rate of incidental hepatocellular carcinoma after liver transplantation similar to previously known HCC? Towards a predictive recurrence score 13(2):211-oa
- Variability of apparent diffusion coefficients in metastatic small cell lung carcinoma: comparisons between-within normal tissue and liver metastases 13(2):297-cr
- SALLuting a new biomarker in hepatocellular carcinoma 13(2):305-lne
- Combined hepatocellular-cholangiocarcinoma (cHCC-CC): a distinct entity 13(3):317-cre
- Long term nucleotide and nucleoside analogs treatment in chronic hepatitis B HBeAg negative genotype D patients and risk for hepatocellular carcinoma 13(4):376-oa
- Epidemiology of HCC in Brazil: incidence and risk factors in a ten-year cohort 13(4):386-oa
- Preoperative transcatheter arterial chemoembolization for resectable hepatocellular carcinoma: a single center analysis 13(4):394-oa
- Role of SerpinB3 in hepatocellular carcinoma 13(6):722-cre
- The role of *Interleukin 28B* gene polymorphism in Turkish patients with hepatocellular carcinoma 13(6):788-oa
- m-RECIST at 1 month and Child A are survival predictors after percutaneous ethanol injection of hepatocellular carcinoma 13(6):796-oa
- Bone metastases as the initial presentation of hepatocellular carcinoma. Two case reports and a literature review 13(6):838-cr

VASCULAR DISORDERS

- Autoimmune liver disorders and small-vessel vasculitis: four case reports and review of the literature 13(1):136-cr
- Direct acting inhibitors of ammoniogenesis: a role in post-TIPS encephalopathy? 13(2):179-cre
- Right hepatic artery aneurysms in a child with Kawasaki disease: flow-preserving endovascular treatment 13(2):284-ih

Persistent hepatic encephalopathy secondary to portosystemic shunt occluded with Amplatzer device ... 13(4):456-cr

Hepatopulmonary syndrome:
Is it time to redefine the MELD exception score for better organ allocation and outcomes? 13(4):468-lne

Embolization of porto-systemic shunt as treatment for recurrent hepatic encephalopathy 13(5):555-ih

MELD exception for liver transplantation in portopulmonary hypertension: current implementation and future considerations 13(6):719-ed

Long-delayed gross hematuria due to portal hypertension in an alcoholic cirrhotic patient with ileal conduit urinary diversion 13(6):830-cr

Dislodgement of variceal bands after esophageal balloon tamponade for variceal bleeding 13(6):832-cr

LIVER FAILURE

Drug induced liver injury:
do we still need a routine liver biopsy for diagnosis today? 13(1):121-ih

Portal hypertension and acute liver failure as uncommon manifestations of primary amyloidosis 13(1):142-cr

Successful orthotopic liver transplantation and delayed delivery of a healthy newborn in a woman with fulminant hepatic failure during the second trimester of pregnancy 13(2):288-cr

Hepatocellular adenoma:
different entities for a single lesion 13(4):450-ih

NONALCOHOLIC FATTY LIVER DISEASE

Serum visfatin in nonalcoholic fatty liver disease 13(1):150-le

The prevalence of nonalcoholic fatty liver disease in the Americas 13(2):166-cre

Inflammation is not the cause of an elevated serum ferritin in non-alcoholic fatty liver disease 13(3):353-oa

Probiotics and synbiotics may improve liver aminotransferases levels in non-alcoholic fatty liver disease patients 13(5):482-cre

Kupffer cells:
increasingly significant role in nonalcoholic fatty liver disease 13(5):489-cre

LIVER TRANSPLANTATION

Prediction of poor graft function by means of gastric tonometry in patients undergoing liver transplantation 13(1):54-oa

Outcome of early vs. deferred antiviral treatment for recurrent hepatitis C in liver transplant recipients 13(2):219-oa

A modified heterotopic auxiliary living donor liver transplantation: report of a case 13(3):399-cr

Protease inhibitor-based triple therapy is highly effective for hepatitis C recurrence after liver transplant: a multicenter experience 13(5):525-oa

D-MELD does not predict post-liver transplantation survival: a single-center experience from Brazil 13(6):781-oa

MISCELLANEOUS

The impact of bacterial infections on survival of patients with decompensated cirrhosis 13(1):7-cr

Predictors of chronic liver disease in individuals with human immunodeficiency virus (HIV) infection 13(1):60-oa

Primary prophylaxis with ciprofloxacin in cirrhotic patients with ascites: a randomized, double blind study 13(1):65-oa

Band ligation vs. N-Butyl-2-cyanoacrylate injection in acute gastric variceal bleeding: a prospective follow-up study 13(1):75-oa

Statin use is not associated with liver related mortality .. 13(1):84-oa

Non-invasive methods for the assessment of hepatic fibrosis: transient elastography, hyaluronic acid, ¹³C-aminopyrine breath test and cytokeratin 18 Fragment 13(1):91-oa

Bilirubin alone as a biomarker for short-term mortality in acute-on-chronic liver failure: an important prognostic indicator 13(1):98-oa

Profile of idiosyncratic drug induced liver injury in Latin America. An analysis of published reports 13(2):231-oa

The molecular adsorbent recirculating system as a liver support system. Summary of Mexican experience 13(2):240-oa

Drug induced liver injury: accuracy of diagnosis in published reports 13(2):248-oa

Cold storage of liver microorgans in ViaSpan® and BG35 solutions. Study of ammonia metabolism during normothermic reoxygenation 13(2):256-oa

Tyrosinemia type I: clinical and biochemical analysis of patients in Mexico ... 13(2):265-oa

What is changing in indications and treatment of hepatic hemangiomas. A review 13(3):327-cr

Evaluation of tumor markers for the differential diagnosis of benign and malignant ascites 13(3):357-oa

The effect of bacterial infections in cirrhotic patients with esophageal variceal bleeding 13(3):364-oa

Antioxidant effect of N-acetylcysteine on prehepatic portal hypertensive gastropathy in rats 13(3):370-oa

Capsulorrhaphy in the management of liver hydatid cyst 13(3):378-oa

Association between serum IgE level and adverse clinical endpoints in primary sclerosing cholangitis 13(3):384-oa

Akin criteria as a predictor of mortality in cirrhotic patients after spontaneous bacterial peritonitis 13(3):390-oa

Plasma cytokine levels imbalance in cirrhotic patients with impaired glucose tolerance and diabetes mellitus. A prospective study 13(4):403-oa

Right atrial pressure may impact early survival of patients undergoing transjugular intrahepatic portosystemic shunt creation 13(4):411-oa

Professor Andrew Burroughs 13(3):412-im

Hemodynamic effect of carvedilol vs. propranolol in cirrhotic patients: Systematic review and meta-analysis 13(4):420-oa

Survey of health status, nutrition and geography of food selection of chronic liver disease patients 13(5):533-oa

Ultra-sensitive procalcitonin may help rule out bacterial infections in patients with cirrhosis .. 13(5):541-oa

Heparin-induced thrombocytopenia testing is over-utilized in cirrhosis & correlates with poor clinical outcomes 13(5):548-oa

The good, the bad and the ugly of the new treatments for hepatitis C virus 13(5):574-lne

Genetic susceptibility to hepatotoxicity due to bosentan treatment in pulmonary hypertension 13(6):803-oa

Recreational physical activity is inversely associated with asymptomatic gallstones in adult Mexican women 13(6):810-oa

The risk of carcinogenesis in congenital choledochal cyst patients: an analysis of 214 cases 13(6):819-oa

It TAK(es) 1 to prevent steatohepatitis and tumorigenesis.....13(6):847-lne

BASIC STUDIES

Effects of bile acid sequestration on hepatic steatosis in obese mice 13(1):105-oa

Kinetics of the inflammatory response induced by free fatty acid accumulation in hepatocytes 13(1):113-oa

Anti-cancer effects of blue-green alga *Spirulina platensis*, a natural source of bilirubin-like tetrapyrrolic compounds 13(2):273-oa

An update on management of Budd-Chiari syndrome 13(3):323-cr

Severe mixed-type iron overload in alcoholic cirrhosis related to advanced spur cell anemia 13(3):396-ih

New strategies for treating
hepatic encephalopathy 13(3):409-lne

Adult human liver contains
intermediate-type proteasomes with
different enzymatic properties 13(4):429-oa

Deep sequencing analysis of
microRNA expression in porcine serum-induced
hepatic fibrosis rats 13(4):439-oa

Severe aplastic anemia-paroxysmal
nocturnal hemoglobinuria syndrome in a patient with
non-A-E hepatitis virus infection 13(4):466-le

Antimitochondrial antibody seroconversion
post-liver transplant during hepatitis C treatment with
peginterferon α , ribavirin and telaprevir 13(5):565-cr

Juvenile hemochromatosis associated with
heterozygosity for novel hemojuvelin mutations
and with unknown cofactors 13(5):568-cr

Chronic hepatitis C successfully treated
with telaprevir, pegylated interferon and ribavirin in
severe aplastic anemia 13(6):843-le