

VIRAL HEPATITIS

Biochemical non-invasive assessment of liver fibrosis cannot replace biopsy in HIV-HCV coinfecting patients	27-0a
Hepatitis E virus serum antibodies and RNA prevalence in patients evaluated for heart and kidney transplantation	33-0a
Effect of entecavir on CD4 ⁺ T-cell subpopulations in patients with chronic hepatitis B	174-0a
Utility and limitations of APRI and FIB4 to predict staging in a cohort of nonselected outpatients with hepatitis C	326-0a
Faldaprevir, pegylated interferon, and ribavirin for treatment-naïve HCV genotype-1: pooled analysis of two phase 3 trials	333-0a
Meta-analysis of the clinical value of oxymatrine on sustained virological response in chronic hepatitis B	482-0a
The relation of fibrosis stage with nutritional deficiencies and bioelectrical impedance analysis of body composition in patients with chronic hepatitis C	492-0a
Meta-analysis of prophylactic entecavir or lamivudine against hepatitis B virus reactivation	501-0a
Efficacy of telaprevir-based therapy in stable liver transplant patients with chronic genotype 1 hepatitis C	512-0a
Effects of a multidisciplinary approach on the effectiveness of antiviral treatment for chronic hepatitis C ...	524-0a
Association of HLA-DQ and IFNL4 polymorphisms with susceptibility to hepatitis B virus infection and clearance	532-0a
Assessment of intrahepatic regulatory T cells in children with autoimmune hepatitis	682-0a
HAV and HBV seroprevalence in 1,000 patients with chronic HCV infection in a Tertiary Care Center in São Paulo, Brazil	691-0a
Resistance-associated polymorphisms in Dutch hepatitis C genotype 1a patients with and without HIV infection	696-0a
PARK2 polymorphisms predict disease progression in patients infected with hepatitis C virus	824-0a
Daclatasvir and Peginterferon/Ribavirin for Black/African-American and Latino Patients with HCV infection	834-0a
Frequency of hepatitis C virus infection in a single institution in Mexico with a focus on birth-cohort population	846-0a

LIVER TRANSPLANTATION

Risk factors for and management of ischemic-type biliary lesions following orthotopic liver transplantation: A single center experience	41-0a
Intrapulmonary vascular dilation in children with chronic liver diseases: pre- and post-liver transplantation	47-0a

SUBJECT INDEX VOLUME 15, 2016

Early allograft dysfunction after liver transplantation: an intermediate outcome measure for targeted improvements	53-0a
Usefulness of acoustic radiation force impulse and fibrotest in liver fibrosis assessment after liver transplant	200-0a
Good outcomes of liver transplantation for hepatitis C at a low volume centre	207-0a
Predictors and impacts of hospital readmissions following liver transplantation	356-0a
Diagnostic accuracy of magnetic resonance elastography in liver transplant recipients: A pooled analysis	363-0a
Cultural validation of the post-Liver transplant quality of life (pLTQ) questionnaire for the Brazilian population	377-0a
Effects of combined genes of CTLA4lg and IDO in post-liver transplantation immune tolerance of rats	729-0a
Simultaneous liver and kidney transplantation in elderly patients: Outcomes and validation of a clinical risk score for patient selection	870-0a

HEPATOCELLULAR CARCINOMA

Hepatocellular carcinoma ≤ 4 cm treated with radiofrequency ablation with or without percutaneous ethanol injection	61-0a
Suppression of trophoblast cell surface antigen 2 enhances proliferation and migration in liver fluke-associated cholangiocarcinoma	71-0a
Treatment allocation in hepatocellular carcinoma: Assessment of the BCLC algorithm	82-0a
Cytokeratin19 positive hepatocellular carcinoma is associated with increased peritumoral ductular reaction	386-0a
Increased hepatocellular carcinoma recurrence in women compared to men with high alpha fetoprotein at liver transplant	545-0a
Predictive role <i>BLVRA</i> mRNA expression in hepatocellular cancer	881-0a
High risk· high reward: An analysis of outcomes for candidates awaiting hepatic re-transplantation	888-0a

MISCELLANEOUS

The mystery of the Hawaii liver disease cluster in summer 2013: A pragmatic and clinical approach to solve the problem	91-0a
Hepatic immunohistochemistry of bile transporters in progressive familial intrahepatic cholestasis	222-0a
What constitutes liver failure after transjugular intrahepatic portosystemic shunt creation? A proposed definition and grading system	230-0a

External validation and comparison of six prognostic models in a prospective cohort of HBV-ACLF in China	236-oa
Alkaline phosphatase normalization is a biomarker of improved survival in primary sclerosing cholangitis	246-oa
Clinical characteristics of liver failure from a systemic cause: A report from an advanced critical care center	254-oa
Small bowel capsule endoscopy and portal hypertensive enteropathy in cirrhotic patients: results from a tertiary referral centre	394-oa
Is intestinal oxidative stress involved in patients with compensated liver cirrhosis?	402-oa
Liver stiffness assessed by transient elastography in patients with β thalassaemia major	410-oa
Elevated circulating levels of IL-21 and IL-22 define a cytokine signature profile in type 2 autoimmune hepatitis patients	550-oa
Rapid identification system of frontal dysfunction in subclinical hepatic encephalopathy	559
Schistosomal portal hypertension: Randomized trial comparing endoscopic therapy alone or preceded by esophagogastric devascularization and splenectomy	738-oa
Diastolic dysfunction is associated with low urinary sodium excretion in patients with decompensated cirrhosis ...	745-oa
Risk factors contributing to early infection following transjugular intrahepatic portosystemic shunt in perioperative period	752-oa
Efficacy and safety of ursodeoxycholic acid in patients with intrahepatic cholestasis of pregnancy	757-oa
<i>GNPAT</i> variant (D519G) is not associated with an elevated serum ferritin or iron removed by phlebotomy in patients referred for C282Y-linked hemochromatosis	907-oa
Percutaneous shunt reduction for the management of TIPS-induced acute liver decompensation: A follow-up study	911-oa

BASIC STUDIES

Hypothermia is better than ischemic preconditioning for preventing early hepatic ischemia/reperfusion in rats	110-oa
IL-1 β siRNA adenovirus benefits liver regeneration by improving mesenchymal stem cells survival after acute liver failure	260-oa
Liver fibrosis in bile duct-ligated rats correlates with increased hepatic IL-17 and TGF- β 2 expression	418-oa
Pulmonary vascular clearance of harmful endogenous macromolecules in a porcine model of acute liver failure	427-oa
<i>CUL4B</i> , <i>NEDD4</i> , and <i>UGT1As</i> involve in the TGF- β signalling in hepatocellular carcinoma	568

Thymosin β 10 as a predictive biomarker of response to 5-fluorouracil chemotherapy in cholangiocarcinoma	577-oa
--	--------

Fibrin-mediated integrin signaling plays a critical role in hepatic regeneration after partial hepatectomy in mice	762-oa
--	--------

MicroRNA-146b regulates hepatic stellate cell activation via targeting of KLF4	918-oa
--	--------

NON ALCOHOLIC FATTY LIVER DISEASE

Alcoholic liver disease presents at advanced stage and progresses faster compared to non-alcoholic fatty liver disease	183-oa
--	--------

Gene expression profiling reveals key genes and pathways related to the development of non-alcoholic fatty liver disease	190-oa
--	--------

Nonalcoholic steatohepatitis in morbid obese patients: coffee consumption vs. disease severity	350-oa
--	--------

Liver iron concentration is not raised in patients with dysmetabolic hyperferritinemia	540-oa
--	--------

Vaspin, resistin, retinol-binding protein-4, interleukin-1 α and interleukin-6 in patients with nonalcoholic fatty liver disease	705-oa
---	--------

The product of triglycerides and glucose as biomarker for screening simple steatosis and NASH in asymptomatic women	715-oa
---	--------

High prevalence of undiagnosed liver cirrhosis and advanced fibrosis in type 2 diabetic patients	721-oa
--	--------

Most overweight and obese Indian children have nonalcoholic fatty liver disease	853-oa
---	--------

Chemerin, retinol binding protein-4, cytokeratin-18 and transgelin-2 presence in sera of patients with non-alcoholic liver fatty disease	862-oa
--	--------

CIRRHOSIS

Older age is associated with increased early mortality after transjugular intrahepatic portosystemic shunt	215-oa
--	--------

Validation of prognostic scores for clinical outcomes in cirrhotic patients with acute variceal bleeding	895-oa
--	--------

Portal vein thrombosis in patients with cirrhosis: just a common finding or a predictor of poor outcome?	902-oa
--	--------

OTHERS

After 14 years of work and progress	6-ed
---	------

The role of zinc in liver cirrhosis	7-cre
---	-------

Hepatitis C virus strategies to evade the specific-T cell response: a possible mission favoring its persistence	17-cre
---	--------

- A rare case of idiopathic granulomatous hepatitis presenting as tumoral lesion detected by 18F-FDG-PET/CT 121-ih
- Acute liver failure associated with *Garcinia cambogia* use 123-cr
- Direct intrahepatic portocaval shunt for treatment of portal thrombosis and Budd-Chiari syndrome 127-cr
- Liver transplantation utilizing a severely fractured graft: every organ counts 131-cr
- When to perform gastroscopy in the PSC patient 135-le
- Contribution on the topic of hypovitaminosis D in chronic hepatitis C 137-le
- Reply to contribution on the topic of hypovitaminosis D in chronic hepatitis C 139-le
- Mice studies disentangle the role of estrogen in gallstone formation 141-lne
- Concordance of sustained virologic response at weeks 4, 12 and 24 post-treatment of hepatitis C in the era of new oral direct-acting antivirals: A concise review 154-cre
- Redox state and methods to evaluate oxidative stress in liver damage: From bench to bedside 160-cre
- Ectopic varices: Hidden challenges in the vascular anatomy 271-ih
- Tenofovir-induced Fanconi syndrome in a patient with chronic hepatitis B mono-infection 273-cr
- Monozygotic twins with NASH cirrhosis: cumulative effect of multiple single nucleotide polymorphisms? 277-cr
- Cystic angiosarcoma of the liver. A previously undescribed neoplasm 283-cr
- Insulin treatment of people with diabetes mellitus and chronic liver disease 287-le
- Report of the Baveno VI Consensus Workshop 289-lne
- Angiogenesis and portal-systemic collaterals in portal hypertension 303-cre
- Management of gastroesophageal varices in cirrhotic patients: current status and future directions 314-cre
- Primary hepatic perivascular epithelioid tumor (PEComa) 436-ih
- Autochthonous infection with hepatitis E virus related to subtype 3a, France: a case report 438-cr
- Is ursodeoxycholic acid detrimental in obstructive cholestasis? A propos of a case of malignant biliary obstruction 442-cr
- Rare biliary cystic tumors: a case series of biliary cystadenomas and cystadenocarcinoma 448-cr
- Bile acids and the risk for hepatocellular carcinoma in primary biliary cholangitis 453-lne
- Alcoholic hepatitis: How far are we and where are we going? 463-cre
- Hepatorenal syndrome: Current concepts related to diagnosis and management 474-cre
- Giant cavernous hemangiomas of the liver: Watchful waiting, resection or transplantation? 586-ih
- An autoimmune polyglandular syndrome complicated with celiac disease and autoimmune hepatitis 588-cr
- Liver transplantation followed by autologous stem cell transplantation for acute liver failure caused by AL amyloidosis. Case report and review of the literature 592-cr
- Pigmented hepatocellular adenoma with β -catenin activation: case report and literature review 598-cr
- Elafibranor for the treatment of NAFLD: One pill, two molecular targets and multiple effects in a complex phenotype 604-lne
- Economic growth leads to increase of obesity and associated hepatocellular carcinoma in developing countries 662-cre
- NASH: A glance at the landscape of pharmacological treatment 673-cre
- Chilaiditi syndrome. An uncommon cause of crampy, upper abdominal pain 773-ih
- Early initiation of MARS® dialysis in *Amanita phalloides*-induced acute liver injury prevents liver transplantation 775-cr
- An unusual type of biliary cyst: A case report 788-cr
- Bile salt export pump deficiency disease: two novel, late onset, ABCB11 mutations identified by next generation sequencing 795-cr
- How to screen NAFLD patients for diabetes? 801-le
- Effect of ezetimibe in HCV viral load after liver transplantation 803-le
- Cell-based therapy to reverse advanced alcoholic liver fibrosis 806-lne
- Treatment of chronic HBV infection in developing countries 816-cre
- Pedunculated hepatic focal nodular hyperplasia 929-ih
- Hepatoportal sclerosis related to the use of herbals and nutritional supplements. Causality or coincidence? 932-cr
- Albumin dialysis with MARS for the treatment of anabolic steroid-induced cholestasis 939-cr
- Estimated time from clinical presentation to the development of cirrhosis in non-cirrhotic adult patients with non-alcoholic fatty liver disease 944-le
- Usefulness of acoustic radiation force impulse in liver fibrosis assessment after liver transplant 946-le
- Reply to the letter to the Editor 947-le
- The effect of ursodeoxycholic acid in cystic cholangiopathies 949-lne