



CIRUGÍA ESPAÑOLA

www.elsevier.es/cirugia



Video of the month

Laparoscopic TAPP repair of inguinal tubo-ovarian hernia: an uncommon presentation of inguinal hernia in adult women



Reparación laparoscópica TAPP de hernia inguinal tubo-ovárica: una presentación poco frecuente de hernia inguinal en mujeres adultas

Cecilia Meliga,* Siyuan Qian Zhang, Manuel Escanciano Escanciano, Víctor Domínguez Prieto

Fundación Jiménez Díaz University Hospital, Madrid, Spain

A 56-year-old woman presented at the Emergency Room with abdominal pain in the right iliac fossa. The physical examination revealed no signs of peritonitis, and no palpable mass at that level. Blood tests were unremarkable, with a slightly elevated CRP. The abdominal CT scan reported an uncomplicated right inguinal hernia containing the ipsilateral ovary.

In newborns, children and women of childbearing age, prompt surgery is mandatory to avoid loss of ovarian function. Due to the absence of alarm signs and the patient's age, surgery was scheduled 3 weeks later. A laparoscopic TAPP hernioplasty was performed, preserving the right adnexa. (video)

Funding

None.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:<https://doi.org/10.1016/j.cireng.2024.02.004>.

Conflict of interest

None.

* Corresponding author.

E-mail addresses: cecilia.meliga@fjd.es (C. Meliga), siyuan.qianv@quironosalud.es (S. Qian Zhang), manuel.escanciano@quironosalud.es (M. Escanciano Escanciano), victor.dominguez@quironosalud.es (V. Domínguez Prieto).
<http://dx.doi.org/10.1016/j.cireng.2024.02.004>

2173-5077/© 2024 AEC. Published by Elsevier España, S.L.U. All rights reserved.