

ACTAS UROLÓGICAS ESPAÑOLAS

www.elsevier.es/actasuro



Images in Urology

Scrotal pearls

Perlas escrotales o escrotolitos



Figures 1 and 2 – Mobile calcifications in scrotum with no clinical importance that are called scrotoliths or scrotal pearls. The presence of hydrocele facilitates their detection.

H. Ascaso Til*, M. Prados Saavedra, J. Vila Barja, M. Rodríguez-Ávila, F. Trobat Vanrell and J. Segarra Tomás

Department of Urology, Hospital Universitario Joan XXIII, Tarragona, Spain

*Author for correspondence.

E-mail: hascasotil@yahoo.es (H. Ascaso Til).

Retroperitoneal residual mass resection: retroaortic renal vein

Exéresis de masa residual retroperitoneal: vena renal retro-aórtica



Figure 1 – Abdominopelvic computed tomography, after administration of 5 chemotherapy cycles, shows a residual retroperitoneal mass. A retroaortic left renal vein can be seen.




Figure 2 – Pathological result of retroperitoneal lymph node dissection specimen was xanthogranulomatous and necrotic lesions, without evidence of viable residual neoplasia. A retroaortic left renal vein can be seen in the surgical photograph.

A. Jalón Monzón*, M. Álvarez Múgica, J. M. Fernández Gómez, J. García Rodríguez, R. González Álvarez and F. J. Regadera Sejas

Department of Urology, Hospital Universitario Central de Asturias, Oviedo, Asturias, Spain

*Author for correspondence.

E-mail: ajalonm@hotmail.com (A. Jalón Monzón).