



Original article

Emotional dysregulation in relation to substance use and behavioral addictions: Findings from five separate meta-analyses

Alba González-Roz^{a,*}, Yasmina Castaño^b, Andrea Krotter^a, Angie Salazar-Cedillo^b, Elena Gervilla^{b,c}^a Addictive Behaviors Research Group (GCA), Department of Psychology, University of Oviedo, Plaza Feijoo s/n, 33003, Oviedo, Spain^b Data Analysis Research Team (GRAD), Department of Psychology, University of the Balearic Islands, Cra Valldemossa, km 7.5, 07122, Palma, Spain^c Statistical and Psychometric Procedures Applied in Health Science, Health Research Institute of the Balearic Islands (IdISBa), Cra Valldemossa, 79, Son Espases University Hospital, 07120, Palma, Spain

ARTICLE INFO

Keywords:

Addictive behaviors
Emotional dysregulation
Meta-analysis
Moderators
Sex

ABSTRACT

Background/objective: Emotional dysregulation (ED) is a transdiagnostic variable underlying various psychiatric disorders, including addictive behaviors (ABs). This meta-analysis examines the relationship between ED and ABs (alcohol, tobacco, cannabis, gambling, and gaming), and indicators of AB engagement (frequency, quantity/time of use, severity, and problems).**Method:** Searches were conducted in PubMed, Scopus, WoS, and PsycINFO. Five separate meta-analysis were run using random-effects models. Moderators (age, sex, continental region, and sample type; community vs. clinical), and publication bias were evaluated.**Results:** A total of 189 studies (N = 78,733; 51.29 % women) were identified. ED was significantly related to all ABs. Problems and severity indicators exhibited the largest effects (r 's .118-.372, all $p < .023$). There were larger effect sizes for cannabis problems ($r = .372$), cannabis severity ($r = .280$), gaming severity ($r = .280$), gambling severity ($r = .245$), gambling problems ($r = .131$), alcohol problems ($r = .237$), alcohol severity ($r = .204$), and severity of nicotine dependence ($r = .118$). Lack of impulse control exhibited some of the largest effects in relation to ABs. Clinical samples of cannabis users vs. community-based exhibited larger magnitude of associations.**Conclusions:** Interventions targeting ABs should address lack of strategies and impulsive behaviors as an emotion regulation strategy specifically, as it is a common risk factor for ABs.

Emotional dysregulation (ED) is a transdiagnostic variable underlying multiple mental health disorders in both adults and young populations, including depression, anxiety, and eating disorders (Aldao et al., 2010; Guerrini-Usubini et al., 2023; Sloan et al., 2017), but also addictive behaviors (ABs) (including both substance use disorders and behavioral addictions) (Stellern et al., 2023; Weiss et al., 2015; Weiss et al., 2022). There is also evidence supporting ED playing a role in alcohol-related problems (Fairholme et al., 2013; Weiss et al., 2018b), cocaine (Tull et al., 2016) and cannabis use (Lucke et al., 2021), and other related variables, such as craving (Ghorbani et al., 2019) and withdrawal (Rogers et al., 2019). ED is a predictor of Internet Gaming Disorder (IGD) and gambling (Marchica et al., 2019), and a risk factor for binge drinking, especially in young men (Laghi et al., 2019).

There have been multiple attempts to define ED, but there is no

agreement yet on the conceptual core of this construct (D' Agostino et al., 2017). One of the most widely adopted definitions was provided by Gratz and Roemer (2008), who consider ED to be a multidimensional variable referring to difficulties in understanding emotions, lack of acceptance of emotions, the ability to engage in goal-directed behavior, and refraining from impulsive behaviors when experiencing negative emotions.

The association between ED and ABs appears to be reciprocal (Hessler & Katz, 2010; King et al., 2023). So far, various meta-analyses and systematic reviews have examined the relationship between ED and ABs. Lannoy et al. (2021) provided evidence of difficulties in emotional regulation (ER) in young people with hazardous drinking, although the findings were supported by one study and were generally inconsistent across others. Moreover, the studies they reviewed looked at

* Correspondence author at: Addictive Behaviors Research Group (GCA), Department of Psychology, University of Oviedo, Plaza Feijoo s/n 33003, Oviedo, Spain
E-mail address: gonzalezalba@uniovi.es (A. González-Roz).

adolescents, and no alcohol use patterns other than binge drinking were explored. Aldao et al. (2010) examined the effect of rumination, suppression, and avoidance on substance use (collapsing for all substances) in adults and adolescents. No other ED abilities or strategies (e.g., self-blaming, lack of emotional clarity) were explored in their review and it did not specifically look at the moderating effects of sex, age, or other sample characteristics. Similarly, Weiss et al. (2022) reported larger effect sizes for substance use in relation to ER abilities (e.g., impulse control difficulties) than strategies (e.g., expressive suppression). However, a notable limitation of this study is that they looked at specific categories of substance use (alcohol use only, drug use only, tobacco use only, use of multiple substances), and variables related to ABs were collapsed together, which seriously restricts the conclusions. In addition, they did not consider adolescent samples and behavioral addictions.

As regards to non-substance use ABs, a systematic review of studies with adolescents and adults by Velotti et al. (2021) showed that some ED strategies (e.g., non-acceptance of negative emotions, difficulties in maintaining goal-directed behaviors) were positively correlated with problem gambling. Age moderated the relationship between gambling disorder (GD), lack of clarity, and difficulties engaging in goal-directed behaviors. In addition, both being older and being male moderated the effect of the non-acceptance of emotions on GD. Lastly, several literature reviews and meta-analyses have suggested a moderate relationship between IGD and some cognitive maladaptive behaviors (i.e., blaming others, emotional suppression, rumination) (Estupiñá et al., 2024; Ji et al., 2022; Marchica et al., 2019). However, the associations are too varied so far and comprehensive assessments of specific ED strategies have yet to be conducted.

Collectively, prior studies have focused on different ABs and none of them have examined ED across different substance use and non-substance use behaviors, considering different patterns of use. This is at odds with more recent conceptualizations of ED as a transdiagnostic process underlying the onset, development, and continuation of multiple health risk behaviours (Shadur and Lejuez, 2015; Sloan et al., 2017; Westphal et al., 2017). The fact that prior research has not examined the detail of relationships with ED by substance use and non-substance use indicators (e.g., frequency or severity) is a limitation, as that makes it more difficult to identify potentially relevant prevention and treatment targets in clinical and community samples.

People's ability to regulate emotions may be influenced by a variety of conditions, including culture, substance use, age, and sex. To date, there has been little examination of these variables as potential moderators of the relationship between ED and ABs. The existing evidence suggests stronger associations in samples of older people in relation to gambling severity (Velotti et al., 2021) and substance use more generally (Weiss et al., 2022). There is also some research suggesting cultural differences in ED indicating Asian people experience greater difficulties in ED, frequent use of suppression and rumination (Ford & Mauss, 2015; Su et al., 2015) and that clinical samples employ dysfunctional ED strategies (e.g., rumination, suppression) more frequently than community populations (Chen et al., 2020; D'Avanzato et al., 2013). Although ED relates to the severity of psychiatric disorders (Joorman & Stanton, 2016; Joseph et al., 2024; Oliva et al., 2023), whether this applies to substance use disorders and behavioral addictions has not been examined in close detail in a meta-analysis. Furthermore, men and women seem to differ in their difficulties with ER (Nolen-Hoeksema et al., 2012; Weiss et al., 2022). In this regard, there are different studies showing that women's greater tendency than men to engage in dysfunctional strategies is a significant mediator of their greater levels of psychopathology compared to men (Nolen-Hoeksema, 2012). Unfortunately, most of the discussion of sex differences in ED has focused on depression and anxiety, and understanding whether ED plays any role in ABs in men and women is a priority. This is a gap in the literature that, once filled, is expected to help in the design of more effective interventions, especially considering that sex differences in patterns of AB

engagement have been reported throughout the literature (Erol and Karpyak, 2015; Halladay et al., 2020; McHugh et al., 2018; Windle et al., 2020).

Against this background, this study consisted of five separate meta-analyses that sought to examine the role of ED in multiple ABs, including substance use (i.e., alcohol, tobacco, cannabis) and behavioral addictions (i.e., gambling and gaming). There were two specific aims: i) to examine the cross-sectional relationships between ED strategies and specific patterns of engagement in ABs (i.e., frequency of use, quantity/time of use, severity, and problems); and ii) to provide evidence on potential moderators (sex at birth, age, continent region, and clinical vs. community samples) in the relationships assessed. The methodological quality and publication bias of the reviewed studies were examined as well. It was hypothesized that: 1) significant relationships would emerge between ED and all ABs; 2) significant moderating effects would emerge by sex (higher effects for women vs. men), continental region (higher effects for Asian countries), and population type (higher for clinical vs. community samples), but not by age.

Materials and methods

Literature search procedure and eligibility criteria

This study followed the PRISMA statement (Page et al., 2021) and was pre-registered in PROSPERO (ID: CRD42021250237). It also conformed to both the Journal Article Reporting Standards (JARS) and Meta-Analysis Reporting Standards (MARS) (see Appelbaum et al., 2018). Literature searches were conducted up to July 2023 in the following databases: PsycINFO, PubMed, Web of Science, and Scopus. As a supplemental approach, we conducted a manual search to identify additional primary studies as of the reference list of the studies retrieved in electronic databases. Specific MeSH terms were used in each of the databases (see supplementary Table A.1).

The primary inclusion criteria for this study pertained to peer-reviewed articles assessing the cross-sectional relationship between ED strategies and ABs. Whenever studies used measures of both ER and ED, only ED were considered for consistency with the aims of the study. To be included in the meta-analyses, potentially eligible studies had to: 1) use a validated measure of ED; and 2) provide a measure of at least frequency, quantity of use or time invested, problems, or severity of ABs (including alcohol, tobacco, cannabis, cocaine, heroin, opioids, methadone, stimulants, gambling, or gaming). Data not reported were requested from the corresponding authors. A total of 100 authors were contacted to provide data, and 19 (19 %) did so.

Data collection process

Two independent reviewers individually screened the full text of potentially eligible studies. For each study, we extracted the following variables: author(s), country, sample size, sex (% females), sample type (e.g., clinical or community), age, measure of AB (i.e., frequency, quantity/time of use, severity, and problems), substance use measure, co-occurrent behaviors, measure of emotional regulation, and effect size (i.e., zero order correlation) of the relationship between ABs and ED.

Meta-analytic approach

The software Comprehensive Meta-Analysis (v 4.0) was used. Meta-analyses were performed based on Pearson correlations using a random effects model. Cochran's Q and I^2 were computed to characterize heterogeneity, with values ≤ 25 % suggesting low heterogeneity, values around 50 % signaling moderate heterogeneity and values ≥ 75 % indicating high heterogeneity across studies (Higgins et al., 2003).

To avoid heterogeneity across ABs, five separate meta-analyses were performed to examine the unique relationship between each AB (alcohol, tobacco, cannabis, gambling, and gaming) and ED (total

score), and ED strategies. It is worth noting that the meta-analysis of the relationship between cocaine and ED (total score) could not be computed, due to insufficient available effect sizes (i.e., $N = 1$). In absence of an ED total score, whenever all subscales of ED questionnaires were available, a composite score was calculated for meta-analysis. As per prior recommendations (Corey et al., 1998), we used Fisher's z transformations and performed the analyses using this index. Then, we converted the summary values back to correlations for presentation. The Fisher's z essentially normalizes the sampling distribution and thus can be used to obtain an average correlation that is less affected by the skewness of the sampling distribution. Zero order correlations were the effect size metric selected to report results. Cohen's criteria for small (>0.20), moderate (>0.50) and large (>0.80) effect sizes were used to aid the interpretation of results (Cohen, 1988).

A set of Q-tests were conducted to examine differences in the relationship between ED (total score) and ABs by substance use or behavioral addiction indicator (i.e., frequency, quantity/time of use, severity, and problems), if available. Q tests were also conducted to examine differences in the relationship between ED and ABs by continental region [i.e., Europe (France, Germany, Hungary, Ireland, the Netherlands, Norway, Italy, Poland, Spain, Sweden, the UK), North America (Canada, the United States of America), Central and South America (Argentina, Ecuador, Mexico), Asia (China, Iran, Israel, Lebanon, South Korea, Turkey), Oceania (Australia)]. Meta-regressions, at a two-sided 95 % CI, looked at the potential mediating role of female sex and age. The moderating role of sample type (clinical vs. community) was also examined. Effect sizes in the relationship between ED and ABs were specifically conducted by sample type and are provided in the main body of the manuscript. Therefore, generalizability to clinical and non-clinical populations is ensured, given that we conducted subgroup analyses for both clinical and community samples by ABs specifically, and then performed Q-tests, (akin to t-tests for independent samples). We adopted common definitions of clinical and community samples as followed in popular and well-powered national surveillance studies, such as the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC) (Blanco et al., 2008; Okuda et al., 2010). Clinical samples were defined as individuals with a current diagnosis of substance use disorder and/or receiving treatment for substance use or other psychiatric disorders. Community samples included participants recruited from the community that did not meet clinical diagnosis criteria and were not receiving treatment.

Methodological quality assessment

Risk of bias was assessed by two independent reviewers using an adapted 5-item version of the Joanna Briggs Institute [JBI] Critical Appraisal Checklist for Analytical Cross-Sectional Studies (Desalu et al., 2019; Joanna Briggs Institute, 2020). The scale assesses the quality of studies based on eight items: (1) inclusion criteria; (2) study subjects and setting; (3) exposure measured in a valid and reliable way; (4) objective and standard criteria used for measurement of the condition; (5) confounding factors; (6) strategies to deal with confounding factors, (7) outcomes measured in a valid and reliable way and (8) appropriate statistical analysis. Items 5, 6, and 8 were not used in the methodological quality assessment to avoid methodological bias. Since our meta-analyses included only cross-sectional correlations, it would have been possible for a specific paper to be scored as poor quality just because it intended to provide exploratory assessments through zero order correlations, instead of a more robust analysis (e.g., partial correlation). The percentage of "yes" answers in the JBI was computed for each reviewed study, and interrater reliability assessment using Kappa values was also provided.

Publication bias in meta-analyses was examined using four indices: 1) Egger's test (Egger et al., 1997); 2) the Begg and Mazumdar rank (Begg and Mazumdar, 1994); 3) Duval and Tweedie's trim-and-fill (Duval and Tweedie, 2000); and 4) the leave-one-out 'jack-knife'

sensitivity analysis (Sinharay, 2010).

Results

A flow chart summarizing the literature search process is presented in Fig. 1. A total of 5,916 studies were initially identified through electronic databases, and 189 were finally retained in the meta-analyses.

Participants and study characteristics

Supplementary Table A.2 summarizes the study characteristics. Most of the studies ($n = 129/189$) focused on the relationship between ED and alcohol use. A total of 26/189 focused on tobacco, 15/189 on cannabis, 36/189 studies provided data on gambling, and 12/189 on gaming. For some ABs, there are more cases than studies, given that some studies reported on the relationship between a given ABs and ED (total score) and provided the correlation as well between ABs and specific ED dimensions. The total number of cases that were meta-analyzed can be seen in Table 1.

The sample consisted of 78,733 participants (N range 21-3,707), 51.29 % female. Average age was 29.74 ($SD = 7.62$). Most of the studies were conducted in the US (112/189; 59.2 %), followed by Spain (16/189; 8.5 %), Italy (15/189; 7.9 %), Canada (9/189; 4.8 %), Australia (7/189; 3.7 %), France (4/189; 2.1 %), Iran (3/189; 1.6 %), UK (2/189; 1.1 %), Turkey (2/189; 1.1 %), Sweden (2/189; 1.1 %), South Korea (2/189; 1.1 %), Poland (2/189; 1.1 %), Ecuador (2/189; 1.1 %), China (2/189; 1.1 %), Norway (1/189; 0.5 %), Netherlands (1/189; 0.5 %), Mexico (1/189; 0.5 %), Lebanon (1/189; 0.5 %), Israel (1/189; 0.5 %), Ireland (1/189; 0.5 %), Hungary (1/189; 0.5 %), Germany (1/189; 0.5 %), and Argentina (1/189; 0.5 %).

Of the reviewed studies, a total of 31.75 % (60/189) included people with co-occurring ABs, 21.16 % (40/189) with post-traumatic stress disorder or trauma exposure, 16.93 % (32/189) with mood disorders, 11.64 % (22/189) with anxiety disorders, 4.76 % (9/189) with eating disorders, 3.17 % (6/189) with self-harm or suicidal ideation, 2.12 % (4/189) with psychotic disorders and neurodevelopmental disorders, and 1.59 % (3/189) with personality disorders. The remaining (6.88 %; 13/189) included community-based samples.

Measures of emotion dysregulation (ED)

There were 149/189 (78.84 %) studies that used the Difficulties in Emotion Regulation Scale (DERS-36), 7/189 used the Difficulties in Emotion Regulation Scale-Positive (DERS-P) (3.70 %), 5/189 used the 28-item version of the DERS (2.65 %), 2/189 used the DERS-18 (1.06 %), 10/189 used the DERS-16 (5.29 %), 4/189 used the abbreviated version of the DERS (i.e., DERS-SF) (2.12 %), 1/189 used the M [modified]-DERS (0.53 %), 1/189 used the State Difficulties in Emotion Regulation Scale (S-DERS) (0.53 %), 1/189 used the Mexican adaptation of the DERS (DERS-E) (0.53 %), and 1/189 used the Revised version of the DERS (DERS-R) (0.53 %). A total of 29/189 (15.34 %) of the studies used the "expressive suppression" subscale from the Emotion Regulation Questionnaire (ERQ), 8/189 (4.23 %) of the studies used the Cognitive Emotion Regulation Questionnaire (CERQ), and 1/189 (0.53 %) used the 18-item version of the CERQ (i.e., CERQ-18). 2/189 (1.06 %) used the Rumination subscale of the Rumination Reflection Questionnaire (RRQ).

Measures of addictive behaviors (ABs)

Measures of ABs comprised frequency (35/189; 18.52 %), quantity of use or time invested (31/189; 16.40 %), severity (158/189; 83.60 %), and problems (34/189; 17.99 %). Frequency, quantity, and time invested were self-reported and measures varied for the different ABs (e.g., drinking days during past week, tobacco use in the past month, or number of hours gamed per week). Studies focusing on gambling and




Fig. 1. Flow of identification and selection of studies included in the review.

Note. ED = emotional dysregulation; ABs = addictive behaviors; SUD = substance use disorder.

gaming did not provide effect sizes for quantity.

Most studies included validated questionnaires to assess severity. The most common measure for evaluating hazardous alcohol use was the Alcohol Use Disorders Identification Test (AUDIT; 83/102; 81.37 %). All measures of tobacco severity included the Fagerström Test for Cigarette Dependence (FTCD; 13/13; 100 %). Cannabis use was measured with the Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST; 1/3; 33.33 %), the Cannabis Use Disorder-

Clinician Severity Rating (CUD-CSR; 1/3; 33.33 %), and the Cannabis Abuse Screening Test (CAST; 1/3; 33.33 %). Gambling severity was mostly assessed with the South Oaks Gambling Screen (SOGS; 17/31; 54.84 %), whereas the Game Addiction Scale (GAS; 3/7; 42.86 %) was the most used gaming measure.

Alcohol problems were most often evaluated by the Young Adult Alcohol Consequences Questionnaire (YAACQ; 6/24; 25 %). No study examined this indicator for tobacco, and the Marijuana Problem Scale

Table 1

Omnibus effect sizes on the associations between addictive behaviors and emotional dysregulation (total scores)

Behavior	<i>k</i>	<i>n</i>	<i>r_{RE}</i>	95% CI	<i>p</i>	<i>r_{OSR}</i>	<i>τ</i> ²	<i>SEτ</i>	95% PI
Alcohol use (ED total)	135	49,312	.190	.165, .214	<.001	.182, .193	.131	.017	-.071, .450
Q-tests on the relationship between ED domains and ABs						<i>Q(df)</i> 113.807 (12)	<i>p</i> <.001		
ED dimensions									
Awareness	52	23,920	.063	.042, .085	<.001	-	-	-	-
Catastrophizing	1	1,114	.030	-.029, .089	.317	-	-	-	-
Clarity	58	27,202	.139	.110, .168	<.001	-	-	-	-
Goals	69	29,889	.136	.111, .162	<.001	-	-	-	-
Impulse	71	30,507	.169	.142, .196	<.001	-	-	-	-
LEC	3	841	.252	.125, .379	<.001	-	-	-	-
Modulate	1	484	.182	.093, .271	<.001	-	-	-	-
Non-acceptance	71	9,224	.123	.099, .146	<.001	-	-	-	-
Other blame	1	1,114	.040	-.019, .099	.182	-	-	-	-
Rumination	2	1,399	-.030	-.113, .054	.485	-	-	-	-
Self-blame	1	1,114	-.030	-.089, .029	.317	-	-	-	-
Strategies	58	27,038	.153	.125, .182	<.001	-	-	-	-
Suppression	25	12,241	.051	.009, .094	.017	-	-	-	-
Tobacco use (ED total)	30	6,230	.094	.044, .145	<.001	.076, .103	.111	.012	-.139, .328
Q-tests on the relationship between ED domains and ABs						<i>Q(df)</i> 22.982 (6)	<i>p</i> .001		
ED dimensions									
Awareness	12	3,029	.103	.063, .143	<.001	-	-	-	-
Clarity	13	4,562	.034	-.004, .071	.077	-	-	-	-
Goals	13	4,562	.002	-.027, .031	.898	-	-	-	-
Impulse	13	4,562	.086	.026, .145	.005	-	-	-	-
Non-acceptance	14	4,687	.078	.033, .122	.001	-	-	-	-
Strategies	13	4,562	.075	.027, .123	.002	-	-	-	-
Suppression	2	1,092	.015	-.044, .075	.611	-	-	-	-
Cannabis use (ED total)	19	9,887	.138	.044, .232	.004	.106, .151	.194	.038	-.284, .559
Q-tests on the relationship between ED domains and ABs						<i>Q(df)</i> 17.304 (7)	<i>p</i> .016		
ED dimensions									
Awareness	7	6,672	.008	-.018, .034	.533	-	-	-	-
Clarity	8	8,205	.046	.003, .088	.035	-	-	-	-
Goals	8	8,205	.052	.003, .102	.037	-	-	-	-
Impulse	6	2,681	.109	.055, .162	<.001	-	-	-	-
LEC	2	5,524	.060	-.019, .139	.134	-	-	-	-
Non-acceptance	8	8,205	.031	-.005, .066	.091	-	-	-	-
Strategies	6	2,681	.087	.019, .155	.012	-	-	-	-
Suppression	3	947	-.017	-.081, .047	.606	-	-	-	-
Gambling (ED total)	31	12,568	.228	.180, .276	<.001	.218, .240	.117	.014	-.016, .472
Q-tests on the relationship between ED domains and ABs						<i>Q(df)</i> 72.756 (11)	<i>p</i> <.001		
ED dimensions									
Awareness	16	6,907	.064	.024, .104	.002	-	-	-	-
Catastrophizing	3	610	.257	.112, .401	<.001	-	-	-	-
Clarity	16	6,988	.125	.073, .177	<.001	-	-	-	-
Goals	17	7,113	.130	.052, .208	.001	-	-	-	-
Impulse	14	5,643	.191	.107, .276	<.001	-	-	-	-
LEC	5	2,630	.140	.057, .224	.001	-	-	-	-
Non-acceptance	17	7,113	.152	.095, .210	<.001	-	-	-	-
Other blame	3	610	-.163	-.391, .064	.160	-	-	-	-
Rumination	5	766	.198	.126, .269	<.001	-	-	-	-
Self-blame	3	610	.400	.320, .480	<.001	-	-	-	-
Strategies	12	4,857	.180	.092, .269	<.001	-	-	-	-
Suppression	9	1,559	.056	-.029, .140	.197	-	-	-	-
Gaming (ED total)	11	8,185	.232	.188, .276	<.001	.216, .251	.061	.004	-.085, .379
Q-tests on the relationship between ED domains and ABs						<i>Q(df)</i> 61.736 (11)	<i>p</i> <.001		
ED dimensions									
Awareness	11	5,874	.089	.056, .121	<.001	-	-	-	-
Catastrophizing	1	1,646	.288	.239, .336	<.001	-	-	-	-
Clarity	11	5,874	.172	.047, .297	.007	-	-	-	-
Goals	9	5,472	.145	.072, .219	<.001	-	-	-	-
Impulse	6	3,589	.244	.162, .326	<.001	-	-	-	-
LEC	3	1,883	.189	.022, .356	.027	-	-	-	-
Non-acceptance	9	5,472	.171	.087, .256	<.001	-	-	-	-
Other-blame	1	1,646	.224	.175, .272	<.001	-	-	-	-
Rumination	1	1,646	.203	.154, .251	<.001	-	-	-	-
Self-blame	1	1,646	.203	.154, .251	<.001	-	-	-	-
Strategies	6	3,589	.268	.164, .371	<.001	-	-	-	-
Suppression	4	904	.110	-.008, .228	.068	-	-	-	-

Note. The table displays the five separate meta-analyses on the associations between each addictive behavior and emotional dysregulation (total scores). Below, it informs on the unique effect between each emotional dysregulation dimension and addictive behaviors and inter-group differences (see Q test and associated *p* value). *k* = number of studies; *n* = sample size; *r_{RE}* = correlation from the random effects model; 95 % CI = 95 % confidence interval; *r_{OSR}* = range of effect sizes from the

Jackknife analysis; τ^2 = Tau squared coefficient; SE τ = Tau squared standard error. ED = Emotion dysregulation; LEC = Lack of emotional control; 95 % PI = 95 % Prediction Interval.

(MPS; 4/4; 100 %) was the only instrument used for cannabis problems. Gambling problems were assessed using the CAGE version of the Attentional Center for Drug-Addiction (MULTICAGE CAD4; 1/2; 50 %) and the short version of the patient-reported outcomes measurement information system (PROMIS) (SPQ; 1/2; 50 %). Finally, four instruments were used to assess problems in gaming, the MULTICAGE CAD-4 (2/5; 40 %), the Questionnaire of Experiences Related to video-games (CERV; 1/5; 20 %), the Internet Addiction Test – WoW Version (IAT-WoW; 1/5; 20 %) and the Problem Video Game Playing Scale (PVP; 1/5; 20 %).

Meta-analyses

Table 1 shows the random-effects meta-analyses of the relationships between ED (total score) and strategies by substance use and non-substance use behaviors.

Alcohol

The meta-analysis of the association between ED (total score) and alcohol ($k = 135$) revealed a statistically significant small effect ($r = .190$, $p < .001$; $I^2 = 93.131$, $Q = 1950.696$, $p < .001$). This association differed significantly as a function of alcohol use measures (frequency ($k = 11$) vs. quantity ($k = 10$) vs. severity ($k = 95$), vs. problems ($k = 19$) ($Q(3) = 36.568$, $p < .001$). Effects were larger for problems ($r = .237$, 95 % CI: .148, .325, $p < .001$) than alcohol use severity ($r = .204$, 95 % CI: .175, .232, $p < .001$), frequency ($r = .105$, 95 % CI: .058, .152, $p < .001$) or quantity ($r = .050$, 95 % CI: .001, .099, $p = .045$).

By ED dimension, lack of emotional control exhibited the strongest association with alcohol indicators ($k = 3$, $r = .252$), followed by modulate ($k = 1$, $r = .182$), impulse ($k = 71$, $r = .169$), strategies ($k = 58$, $r = .153$), clarity ($k = 58$, $r = .139$), goals ($k = 69$, $r = .136$), non-acceptance ($k = 71$, $r = .123$), lack of awareness ($k = 52$, $r = .063$), suppression ($k = 25$, $r = .051$), other blame ($k = 1$, $r = .040$), rumination ($k = 2$, $r = -.030$), self-blame ($k = 1$, $r = -.030$), and catastrophizing ($k = 1$, $r = .030$), ($Q(12) = 113.807$, $p < .001$).

Sex did not significantly moderate the association between alcohol and ED ($p = .107$), but age did ($\beta = .004$, SE = .001, $p = .003$), with larger effects in studies with older participants. Sample type did not significantly moderate the association between ED and alcohol, with clinical samples ($r = .238$, 95 % CI: .173, .302, $p < .001$) exhibiting larger effects than community ($r = .179$, 95 % CI: .153, .205, $p < .001$) samples ($Q(1) = 2.769$, $p = .096$). Continental region did not demonstrate a significant impact on the relationship between ED and alcohol ($Q(3) = 2.065$, $p = .559$).

Tobacco

The meta-analysis of the association between ED (total score) and tobacco ($k = 30$) demonstrated a small statistically significant effect ($r = .094$, $p = .001$; $I^2 = 71.073$, $Q = 100.25$, $p < .001$). This relationship did not significantly differ as a function of tobacco use measures [frequency ($k = 4$) vs. quantity ($k = 14$) vs. severity ($k = 12$) ($Q(2) = 1.485$, $p = .476$)]. Average effect sizes were as follows: frequency ($r = .129$, 95 % CI: .053, .205, $p = .001$), quantity ($r = .069$, 95 % CI: .002, .136, $p = .043$), and severity ($r = .118$, 95 % CI: .016, .220, $p = .023$).

In the ED dimensions, lack of awareness exhibited a stronger association across tobacco indicators ($k = 12$, $r = .103$), followed by impulse ($k = 13$, $r = .086$), non-acceptance ($k = 14$, $r = .078$), strategies ($k = 13$, $r = .075$), clarity ($k = 13$, $r = .034$), suppression ($k = 2$, $r = .015$), and goals ($k = 13$, $r = .002$), ($Q(6) = 22.982$, $p = .001$).

Sex ($p = .604$) and age ($p = .474$) did not significantly moderate the association between tobacco and ED, nor did sample type have an impact on ED (total score) estimates ($Q(1) = .994$, $p = .319$). Continental region did not exhibit a significant impact on the relationship between

ED and tobacco ($Q(1) = 1.715$, $p = .190$).

Cannabis

The meta-analysis on cannabis ($k = 19$) showed a significant relationship with ED (total score) ($r = .138$, $p = .004$; $I^2 = 94.400$, $Q = 321.448$, $p < .001$). Differences by cannabis type measure were seen ($Q(3) = 17.827$, $p < .001$). Effect sizes were larger for problems ($k = 4$, $r = .372$, 95 % CI: .160, .584, $p = .001$) than for severity ($k = 4$, $r = .280$, 95 % CI: .100, .461, $p = .002$), quantity ($k = 2$, $r = .055$, 95 % CI: -.033, .144, $p = .222$), or frequency ($k = 9$, $r = .001$, 95 % CI: -.046, .049, $p = .953$).

Regarding ED dimensions, impulse exhibited a stronger association across cannabis indicators ($k = 6$, $r = .109$), followed by strategies ($k = 6$, $r = .087$), lack of emotional control ($k = 2$, $r = .060$), goals ($k = 8$, $r = .052$), clarity ($k = 8$, $r = .046$), non-acceptance ($k = 8$, $r = .031$), suppression ($k = 3$, $r = -.017$), lack of awareness ($k = 7$, $r = .008$), ($Q(7) = 17.304$, $p = .016$).

Moderation analysis showed no statistically significant effects of sex ($p = .906$) or age ($p = .153$) on the relationship between ED and cannabis, but did show a statistically significant effect for sample type [$Q(1) = 8.692$, $p = .003$, (r_{clinical} , $k=4 = .346$, 95 % CI: .223, .469, $p < .001$, $r_{\text{community}}$, $k=13 = .094$, 95 % CI: -.020, .208, $p = .106$)]. The participants' continental region did not affect the association between ED and cannabis ($Q(1) = 1.256$, $p = .262$).

Gambling

The overall effect ($k = 31$) for the relationship between ED (total score) and gambling involvement was statistically significant ($r = .228$, $p < .001$; $I^2 = 84.211$, $Q = 190.006$, $p < .001$). Of the gambling indicators, severity yielded the largest effects ($r = .245$, 95 % CI: .202, .288, $p < .001$) compared to problems ($r = .131$, 95 % CI: .077, .185, $p < .001$) and frequency ($r = -.040$, 95 % CI: -.109, .029, $p = .253$) ($Q(2) = 48.448$, $p < .001$). There were statistically significant differences ($Q(11) = 72.756$, $p < .001$) in the observed effect sizes by specific ED domains (see Table 1). Self-blame ($k = 3$, $r = .400$), followed by catastrophizing ($k = 3$, $r = .257$), rumination ($k = 5$, $r = .198$), impulse ($k = 14$, $r = .191$), strategies ($k = 12$, $r = .180$), other blame ($k = 3$, $r = -.163$), non-acceptance ($k = 17$, $r = .152$), lack of emotional control ($k = 5$, $r = .140$), goals ($k = 17$, $r = .130$), clarity ($k = 16$, $r = .125$), awareness ($k = 16$, $r = .064$), and suppression ($k = 9$, $r = .056$).

The moderation analyses indicated that age ($Q(1) = 5.79$, $p = .016$) moderated the relationship between ED total scores and gambling involvement. In addition, there were moderating effects of male sex ($p = .004$), meaning higher representation of male sex related to strengthened effects. Sample type did not moderate the abovementioned association ($Q(1) = 1.668$, $p = .197$), although continental region did ($Q(3) = 14.759$, $p = .002$). Participants from Oceania demonstrated the largest effect sizes (r_{Oceania} , $k=2 = .394$, 95 % CI: .312, .477, $p < .001$) followed by participants from Asia (r_{Asia} , $k=2 = .345$, 95 % CI: .134, .555, $p < .001$), Europe (r_{Europe} , $k=16 = .215$, 95 % CI: .146, .285, $p < .001$), and North America ($r_{\text{North America}}$, $k=11 = .199$, 95 % CI: .121, .276, $p < .001$).

Gaming

The relationship between ED (total score) and gaming ($k = 11$) was statistically significant ($r = .232$; $I^2 = 87.558$, $Q = 80.371$, $p < .001$). Gaming measures focused on severity ($r = .280$, 95 % CI: .234, .325, $p < .001$) exhibited larger effect sizes than problems ($r = .189$, 95 % CI: .074, .305, $p = .001$) or time invested ($r = .030$, 95 % CI: -.070, .130, $p = .555$), ($Q(2) = 20.578$, $p < .001$).

There were differences by ED dimension ($Q(11) = 61.736$, $p < .001$). The largest effect sizes were observed for catastrophizing ($k = 1$, $r = .288$), followed by strategies ($k = 6$, $r = .268$), impulse ($k = 6$, $r = .244$), other blame ($k = 1$, $r = .224$), rumination ($k = 1$, $r = .203$), self-blame (k

= 1, $r = .203$), lack of emotional control ($k = 3, r = .189$), clarity ($k = 11, r = .172$), non-acceptance ($k = 9, r = .171$), goals ($k = 9, r = .145$), suppression ($k = 4, r = .110$), and awareness ($k = 11, r = .089$) (see Table 1).

Moderator analyses did not reveal significant effects either by sex ($p = .970$) or age ($p = .755$). Sample type did not significantly moderate the effect sizes ($Q(1) = .011, p = .915$). There were no significant impacts of continental region on the association between ED and gaming ($Q(2) = .166, p = .921$).

Risk of bias

Methodological quality assessment

Complete quality assessments for each study can be found in Supplementary Table A.3. A total of 50.79 % ($n=96$) of the studies showed good methodological quality (i.e., met 4-5 quality items), 30.16 % ($n = 57$) studies met 3 quality items, while 19.05 % ($n = 36$) met only 2 of the 5 quality items. On the other hand, items 3 (97.4, $n = 184$) and 7 (99.5 %, $n = 188$) were met by almost all the studies, item 1 was met by 58 % of the studies ($n = 109$), item 2 by 33.9 % ($n = 64$), and item 4 by 57.1 % ($n = 108$). Low-quality ratings were due mainly to the vague definition of inclusion criteria, study subjects and setting described not in detail (especially time period), and vague definition (or lack of information) of characteristics used to include participants in the conditions. Inter-rater agreement (Cohen's Kappa) was almost perfect for items 3 and 7, substantial for item 1 and moderate for items 2 and 4.

Publication bias

Low risk of publication bias was found across meta-analyses (see Table 2). Egger's test provided no evidence of asymmetry in the funnel plots, except for alcohol. The trim-and-fill analyses suggested there would be 4 and 3 unpublished studies potentially influencing the association between ED, gambling, and gaming. Jack-knife analyses showed no substantial changes and effect sizes remained similar after imputation (see Table 1).

Discussion

This study reported statistically significant relationships between ED and all ABs. Problems and severity were the indicators that showed the strongest effect sizes in relation to ED. Sex and continental region were effective moderators of the relationship between ED and gambling. Moreover, there were stronger relationships in older participants than in younger participants (i.e., alcohol and gambling) and in clinical compared to community samples (i.e., cannabis). Minimal impacts of publication bias were found overall.

There were differences in the relationships between specific ED strategies and ABs. Both lack of strategies and difficulty in controlling impulses in the face of negative emotions were the only ED dimensions related to all substance and non-substance ABs. This maps well with the evidence supporting impulsivity conceptually overlapping the impulse dimension of ED (Willie et al., 2022) and means that difficulties in ER are in part due to impulse control behaviors, which are common in people with substance use disorders or presenting behavioral addictions (Cyders and Smith, 2008; Di Piero et al., 2015). From this point of view,

impulsivity may confer high vulnerability and prevent people envisioning possible negative consequences stemming from ABs, making it harder to access adaptive emotional regulation strategies (López-Torres et al., 2021).

Gaming and gambling were more strongly related than the other ABs to overestimation of negative emotional experiences (catastrophizing) and difficulties in impulse control (impulse). Catastrophizing of life events may confer vulnerability to gambling/gaming as a way of coping given these behaviors may serve to anesthetize disturbing emotional experiences (Melodia et al., 2022; Wang et al., 2020). On a similar note, difficulties in ER are particularly intertwined with two conditions that are prevalent in both gamblers and gamers, anxiety, and depression (Bridges-Curry and Newton, 2022; Daros et al., 2021), which also lead to risk of increased gambling/gaming by affecting how negative emotions are managed (Gerdner and Håkansson, 2022; Neophytou et al., 2023). In gamblers specifically, the prominence of these strategies may be accounted for by the many legal consequences (money lost, seizure of properties) of gambling and its negative impact on interpersonal relationships (e.g., loss of partners) (Fong, 2005). In addition, the significant relationship between self-blame strategies and gambling may be related to more severe emotional distress caused by feelings of guilt and the blame from relatives about the onset of this behavior and any ongoing relapses (Fan, 2020).

For alcohol, lack of emotional control and modulate were the ED strategies that showed the largest magnitude of effects. This suggests that alcohol users may have difficulties in reducing the intensity and the length of time they experience negative emotions. These behaviors have been related to impaired executive functions. In fact, there are several empirical studies suggesting that alcohol use hinders inhibitory control skills, which leads to difficulties in inhibiting alcohol use in the presence of alcohol-related stimuli (e.g., negative affect) (Fleming & Bartholow, 2014; López-Caneda et al., 2014).

For tobacco, lack of awareness, non-acceptance, and impulse were the ED strategies that showed the largest magnitude of effects, which suggests tobacco users would benefit from interventions providing psychoeducation on emotions. Awareness is associated with faster stress recovery following stressors (Borges, 2020). For this reason, training strategies aimed at increasing awareness of affective responses may be particularly important in that they can serve to buffer the negative symptoms associated with nicotine's pharmacological effects (e.g., increases in anxiety because of cravings). In addition, acceptance strategies to help managing urges to smoke are highly encouraged. This may include increased attention towards (and reduced avoidance of) negative symptoms through mindfulness-based and Acceptance and Commitment Therapy (ACT) (Barlow & Eustis, 2022).

With regards to moderating variables, it is worth noting that, except for gambling, no association was found between sex, ED, and ABs, and this suggests ED is a risk factor for substance use and gaming regardless of sex. Age and type of population (clinical vs. community) were found to moderate several of the tested associations. The relationship between ED and alcohol was stronger in older populations, which is in line with existing research (Aldao et al., 2010). Although ER competence improves during life (Riediger and Bellingtier, 2021), it notably decreases in people with high levels of emotional activation, such as those struggling with ABs and emotional disorders (Lincoln et al., 2022).

Table 2
Publication bias in the meta-analyses of emotional dysregulation (total score) by addictive behavior

Variable	Fail-safe N	Begg-Mazumdar test		Egger's regression analysis			Tweedie's trim-and-fill approach
		Kendall's τ	p	Intercept	95 % CI	p	
Alcohol	3,132	-.010	.072	2.047	1.095, 2.998	<.001	0
Tobacco	330	.105	.411	-.186	-1.905, 1.531	.825	0
Cannabis	602	.146	.381	.767	-2.824, 4.358	.657	0
Gambling	3,954	.070	.556	.976	-1.237, 3.191	.374	4
Gaming	2,395	.090	.697	-.055	-3.355, 3.243	.970	3

Our findings showed a significant impact of continental region on the association between ED and gambling. Oceania, followed by Asia, Europe, and North America, exhibited the largest effect sizes. This finding is in line with research concluding that people's emotional regulation processes are shaped by culture (Ip et al., 2021; Su et al., 2015). Generally, gambling has less stigma than substance use, as its social status is judged to be higher (Dabrowska et al., 2020), which may in part account for the moderating effects seen in gambling but no other ABs. This has particular significance for Asian cultures that tend to value control overt behavior and use suppression and moderation of intense emotional experiences (Su et al., 2015). Moreover, Asian culture emphasizes the 'interdependent self', which suggest more dysfunctional strategies (e.g., suppression) may be deemed as culturally adaptive for the sake of harmonious social relationships (Ip et al., 2021). For western cultures, both the expression of and focus on emotional experiences may account for the larger observed estimates, as the process of enculturation in these countries emphasizes the need to foster positive emotions that include a positive sense of self and avoidance of negative emotions (e.g., sadness, depression) (Jung et al., 2009).

Interestingly, studies including clinical samples of cannabis users showed stronger associations. This is consistent with the fact that cannabis is overrepresented in people undergoing substance use treatment (Andersson et al., 2021; Pinto et al., 2019). What these results suggest is the importance of screening for ED in cannabis users and delivering ED-focused interventions to avoid falling into more severe patterns of use.

This study is not without limitations. Firstly, conducting multiple statistical tests in separate meta-analyses increases the risk of Type I error (false positives). While the random-effects approach provides some evidence for our hypothesis, it does not actually provide a truly comprehensive summary of the variables as if a single analytical model had been run. Secondly, because it examined cross-sectional relationships, no conclusions can be drawn about causality. Research on this topic is still in the early stages, and there is a need for more longitudinal studies on the association between ED and ABs before conducting a meta-analysis. Thirdly, we were unable to conduct a meta-analysis on cocaine as there was only one study that provided overall effect sizes between ED (total score) and cocaine. Other variables (e.g., ED dimensions, impulsivity, mental health disorders) were not considered as potential moderators. Virtually all studies provided data on the DERS-36 (149/189) and there was not sufficient variability in the ED measures to conduct a moderation analysis. In addition, none of the included studies provided detailed information on the presence of other mental health disorders and levels of impulsivity, and those providing such data were highly varied in terms of the variables and questionnaires they used, meaning it was not possible to analyze its moderating role. This poses an intrinsic limitation of the reviewed literature and there is need for future studies to look at individual moderators of the association between ED and ABs.

Conclusions

In conclusion, this study supports ED as a transdiagnostic variable underlying substance use and behavioral addictions. Of the ED strategies, only a lack of strategies and impulse strategies demonstrated significant relationships across ABs. Importantly, catastrophizing was found to be common to both gambling and gaming. Health care providers are advised to evaluate ED and consider treatment protocols addressing ED that are key to each AB. Third-wave therapies, such as mindfulness-based strategies, ACT, and Dialectical Behavioral Therapy (DBT) are promising in this capacity (Azevedo et al., 2024; Barlow & Eustis, 2022; Krotter et al., 2024), but there is still a need for further research into their potential effectiveness for both improving psychological processes (e.g., acceptance, valued oriented goals) and recovery from ABs.

Role of the funding source

This study was supported by the Spanish Government Delegation for the National Plan on Drugs (ref. 2020I003) and by a predoctoral grant from the Government of the Principality of Asturias (ref. PA-21-PF-BP20-015). The funding sources had no role other than financial support.

Meta-analyses

The references *indicates the studies that were included in the meta-analyses.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Supplementary materials

Supplementary material associated with this article can be found, in the online version, at [doi:10.1016/j.ijchp.2024.100502](https://doi.org/10.1016/j.ijchp.2024.100502).

References

- Aldao, A., Nolen-Hoeksema, S., & Schweizer, S. (2010). Emotion-regulation strategies across psychopathology: A meta-analytic review. *Clinical Psychology Review*, 30, 217–237. <https://doi.org/10.1016/j.cpr.2009.11.004>
- Andersson, H. W., Lilleeng, S. E., Ruud, T., & Ose, S. O. (2021). Substance use among patients in specialized mental health services in Norway: Prevalence and patient characteristics based on a national census. *Nordic Journal of Psychiatry*, 75, 160–169. <https://doi.org/10.1080/08039488.2020.1817553>
- Appelbaum, M., Cooper, H., Kline, R. B., Mayo-Wilson, E., Nezu, A. M., & Rao, S. M. (2018). Journal article reporting standards for quantitative research in psychology: The APA publications and communications board task force report. *American Psychologist*, 73(1), 3–25. <https://doi.org/10.1037/amp0000191>
- Azevedo, J., Carreiras, D., Hibbs, C., Guimaraes, R., Osborne, J., Hibbs, R., & Swales, M. (2024). Benchmarks for dialectical behavioural therapy intervention in adults and adolescents with borderline personality symptoms. *International Journal of Clinical and Health Psychology: IJCHP*, 24(2), Article 100446. <https://doi.org/10.1016/j.ijchp.2024.100446>
- Barlow, D. H., & Eustis, E. H. (2022). The importance of idiographic and functionally analytic strategies in the unified protocol for transdiagnostic treatment of emotional disorders. *The Journal of Contextual Behavioral Science*, 24, 179–184. <https://doi.org/10.1016/j.jcbs.2022.05.001>
- Begg, C. B., & Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication. *Biometrics*, 50, 1088–1101. <https://doi.org/10.2307/2533446>
- Blanco, C., Olsson, M., Okuda, M., Nunes, E. V., Liu, S. M., & Hasin, D. S. (2008). Generalizability of clinical trials for alcohol dependence to community samples. *Drug and Alcohol Dependence*, 98(1–2), 123–128. <https://doi.org/10.1016/j.drugalcdep.2008.05.002>
- Borges, A. M., Yang, M. J., Farris, S. G., Zvolensky, M., & Leyro, T. M. (2020). Examining the role of emotion regulation in the bidirectional relation between physiological and subjective stress response among daily cigarette smokers. *Personality and Individual Differences*, 155, Article 109740. <https://doi.org/10.1016/j.paid.2019.109740>
- Bridges-Curry, Z., & Newton, T. L. (2022). Patterns of trauma exposure, emotion dysregulation, and mental health symptoms: A latent class analysis. *Journal of Aggression, Maltreatment & Trauma*, 31, 285–303. <https://doi.org/10.1080/10926771.2021.1970673>
- Chen, W. L., Lin, J. J., Wang, C. T., Shen, Y. C., Chen, S. T., & Chao, Y. L. (2020). Regulating anger in different relationship contexts: A comparison between psychiatric outpatients and community controls. *Heliyon*, 6(7), Article e04413. <https://doi.org/10.1016/j.heliyon.2020.e04413>
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Corey, D. M., Dunlap, W. P., & Burke, M. J. (1998). Averaging correlations: Expected values and bias in combined Pearson *r*s and Fisher's *z* transformations. *The Journal of General Psychology*, 125(3), 245–261. <https://doi.org/10.1080/00221309809595548>
- Cyders, M. A., & Smith, G. T. (2008). Emotion-based dispositions to rash action: Positive and negative urgency. *Psychological Bulletin*, 134, 807–828. <https://doi.org/10.1037/a0013341>
- D'Agostino, A., Covanti, S., Rossi Monti, M., & Starcevic, V. (2017). Reconsidering emotion dysregulation. *The Psychiatric Quarterly*, 88(4), 807–825. <https://doi.org/10.1007/s1126-017-9499-6>

- D'Avanzato, C., Joormann, J., Siemer, M., & Gotlib, I. H. (2013). Emotion regulation in depression and anxiety: Examining diagnostic specificity and stability of strategy use. *Cognitive Therapy and Research*, 37, 968–980. <https://doi.org/10.1007/s10608-013-9537-0>
- Dąbrowska, K., & Wiecek, L. (2020). Perceived social stigmatisation of gambling disorders and coping with stigma. *Nordisk alkohol- & narkotikakritik: NAT*, 37(3), 279–297. <https://doi.org/10.1177/1455072520902342>
- Daros, A. R., Haefner, S. A., Asadi, S., Kazi, S., Rodak, T., & Quilty, L. C. (2021). A meta-analysis of emotional regulation outcomes in psychological interventions for youth with depression and anxiety. *Nature Human Behaviour*, 5, 1443–1457. <https://doi.org/10.1038/s41562-021-01191-9>
- Desalu, J. M., Goodhines, P. A., & Park, A. (2019). Racial discrimination and alcohol use and negative drinking consequences among black Americans: A meta-analytical review. *Addiction*, 114, 957–967. <https://doi.org/10.1111/ADD.14578>
- Di Pierro, R., Benzi, I. M. A., & Madeddu, F. (2015). Difficulties in emotion regulation among inpatients with substance use disorders: The mediating effect of mature defenses mechanisms. *Clinical Neuropsychiatry*, 12, 83–89.
- Duval, S., & Tweedie, R. (2000). Trim and fill: A simple funnel-plot-based method of testing and adjusting for publication bias in meta-analysis. *Biometrics*, 56, 455–463. <https://doi.org/10.1111/j.0006-341x.2000.00455.x>
- Egger, M., Smith, G. D., Schneider, M., & Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *BMJ Open*, 315, 629–634. <https://doi.org/10.1136/bmj.315.7109.629>
- Erol, A., & Karpyak, V. M. (2015). Sex and gender-related differences in alcohol use and its consequences: Contemporary knowledge and future research considerations. *Drug and Alcohol Dependence*, 156, 1–13. <https://doi.org/10.1016/j.drugalcdep.2015.08.023>
- Estupiñá, F. J., Bernaldo-de-Quirós, M., Vallejo-Achón, M., Fernández-Arias, I., & Labrador, F. (2024). Review manuscript: Emotional regulation in Gaming Disorder: A systematic review. *The American Journal on Addictions*. <https://doi.org/10.1111/ajad.13621>, 10.1111/ajad.13621 Advance online publication.
- Fan, B. W. S. (2020). Factors in determining the development of problem gambling and motivation to quit gambling addiction among offenders. *Australian Counselling Research Journal*, 37–45.
- Fleming, K. A., & Bartholow, B. D. (2014). Alcohol cues, approach bias, and inhibitory control: Applying a dual process model of addiction to alcohol sensitivity. *Psychology of Addictive Behaviors*, 28(1), 85–96. <https://doi.org/10.1037/a0031565>
- Fong, T. W. (2005). The biopsychosocial consequences of pathological gambling. *Psychiatry*, 2(3), 22–30.
- Ford, B. Q., & Mauss, I. B. (2015). Culture and emotion regulation. *Current Opinion in Psychology*, 3, 1–5. <https://doi.org/10.1016/j.copsyc.2014.12.004>
- Gerdner, A., & Håkansson, A. (2022). Prevalence and comorbidity in a Swedish adolescent community sample – gambling, gaming, substance use, and other psychiatric disorders. *BMC Psychiatry*, 22, 594. <https://doi.org/10.1186/s12888-022-04218-1>
- Ghorbani, F., Khosravani, V., Mohammadzadeh, A., & Shadnia, S. (2019). The role of emotion dysregulation in the relation of childhood trauma to heroin craving in individuals with heroin dependence. *Drug and Alcohol Dependence*, 195, 132–139. <https://doi.org/10.1016/j.drugalcdep.2018.12.008>
- Gratz, K. L., & Roemer, L. (2008). Multidimensional assessment of emotion regulation and dysregulation: Development, factor structure, and initial validation of the difficulties in emotion regulation scale. *Journal of Psychopathology and Behavioral Assessment*, 30, 315. <https://doi.org/10.1007/s10862-008-9102-4>, 2008.
- Guerrini-Usubini, A., Cattivelli, R., Scarpa, A., Musetti, A., Varallo, G., Franceschini, C., & Castelnovo, G. (2023). The interplay between emotion dysregulation, psychological distress, emotional eating, and weight status: A path model. *International journal of clinical and health psychology: IJCHP*, 23(1), Article 100338. <https://doi.org/10.1016/j.ijchp.2022.100338>
- Halladay, J., Woeck, R., El-Khechen, H., Munn, C., MacKillop, J., Amlung, M., Ogrodnik, M., Favotto, L., Aryal, K., Noori, A., Kiflen, M., & Georgiades, K. (2020). Patterns of substance use among adolescents: A systematic review. *Drug and Alcohol Dependence*, 216, Article 108222. <https://doi.org/10.1016/j.drugalcdep.2020.108222>
- Hessler, D. M., & Katz, L. F. (2010). Brief report: Associations between emotional competence and adolescent risky behavior. *Journal of Adolescence*, 33(1), 241–246. <https://doi.org/10.1016/j.adolescence.2009.04.007>
- Higgins, J. P. T., Thompson, S. G., Deeks, J. J., & Altman, D. G. (2003). Measuring inconsistency in meta-analyses. *BMJ*, 327, 557–560. <https://doi.org/10.1136/BMJ.327.7414.557>
- Ip, K. I., Miller, A. L., Karasawa, M., Hirabayashi, H., Kazama, M., Wang, L., Olson, S. L., Kessler, D., & Tardif, T. (2021). Emotion expression and regulation in three cultures: Chinese, Japanese, and American preschoolers' reactions to disappointment. *Journal of Experimental Child Psychology*, 201, Article 104972. <https://doi.org/10.1016/j.jecp.2020.104972>
- Ji, Y., Yin, M. X. C., Zhang, A. Y., & Wong, D. F. K. (2022). Risk and protective factors of Internet gaming disorder among Chinese people: A meta-analysis. *Australian & New Zealand Journal of Psychiatry*, 56, 332–346. <https://doi.org/10.1177/00048674211025703>
- Joanna Briggs Institute [JBI]. (2020). *Checklist for analytical cross sectional studies*. The Joanna Briggs Institute.
- Joormann, J., & Stanton, C. H. (2016). Examining emotion regulation in depression: A review and future directions. *Behaviour Research and Therapy*, 86, 35–49. <https://doi.org/10.1016/j.brat.2016.07.007>
- Joseph, A. L., Jerram, M. W., & Valera, E. M. (2024). Emotional clarity and psychopathology in women who have experienced physical intimate partner violence. *Violence Against Women*. <https://doi.org/10.1177/10778012241254852>, 10778012241254852. Advance online publication.
- Jung, S., von Scheve, C., Vandekerckhove, M., Kronast, S., & Ismer (Eds.). (2009). *Regulating emotions: Culture, social necessity, and biological inheritance*. Wiley-Blackwell.
- Krotter, A., Anso-Diego, G., González-Menéndez, A., González-Roz, A., Secades-Villa, R., & García-Pérez, Á. (2024). Effectiveness of acceptance and commitment therapy for addictive behaviors: A systematic review and meta-analysis. *Journal of Contextual Behavioral Science*, 32, Article 100773. <https://doi.org/10.1016/j.jcbs.2024.100773>
- López-Caneda, E., Rodríguez Holguín, S., Cadaveira, F., Corral, M., & Doallo, S. (2014). Impact of alcohol use on inhibitory control (and vice versa) during adolescence and young adulthood: a review. *Alcohol and Alcoholism*, 49(2), 173–181. <https://doi.org/10.1093/alcalic/agt168>
- López-Torres, I., León-Quismondo, L., & Ibáñez, A. (2021). Impulsivity, lack of premeditation, and debts in online gambling disorder. *Frontiers in Psychiatry*, 11, Article 618148. <https://doi.org/10.3389/fpsyt.2020.618148>
- Lannoy, S., Duka, T., Carbia, C., Billieux, J., Fontesse, S., Dormal, V., Gierski, F., López-Caneda, E., Sullivan, E. V., & Maurage, P. (2021). Emotional processes in binge drinking: A systematic review and perspective. *Clinical Psychology Review*, 84, Article 101971. <https://doi.org/10.1016/j.cpr.2021.101971>
- Lincoln, T. M., Schulze, L., & Renneberg, B. (2022). The role of emotion regulation in the characterization, development and treatment of psychopathology. *Nature Reviews Psychology*, 1, 272–286. <https://doi.org/10.1038/s41599-022-00040-4>, 2022.
- Lucke, H. R., Harbke, C. R., Mathes, E. W., & Hammersley, J. J. (2021). Higher emotion dysregulation and coping motives in alcohol and marijuana users. *Substance Use & Misuse*, 56, 950–961. <https://doi.org/10.1080/10826084.2021.1901927>
- McHugh, R. K., Votaw, V. R., Sugarman, D. E., & Greenfield, S. F. (2018). Sex and gender differences in substance use disorders. *Clinical Psychology Review*, 66, 12–23. <https://doi.org/10.1016/j.cpr.2017.10.012>
- Melodia, F., Canale, N., & Griffiths, M. D. (2022). The role of avoidance coping and escape motives in problematic online gaming: A systematic literature review. *International Journal of Mental Health & Addiction*, 20, 996–1022. <https://doi.org/10.1007/s11469-020-00422-w>
- Neophytou, K., Theodorou, M., Artemi, T.-F., Theodorou, C., & Panayiotou, G. (2023). Gambling to escape: A systematic review of the relationship between avoidant emotion regulation/coping strategies and gambling severity. *Journal of Contextual Behavioral Science*, 27, 126–142. <https://doi.org/10.1016/j.jcbs.2023.01.004>
- Nolen-Hoeksema, S. (2012). Emotion regulation and psychopathology: the role of gender. *Annual Review of Clinical Psychology*, 8, 161–187. <https://doi.org/10.1146/annurev-clinpsy-032511-143109>
- Okuda, M., Hasin, D. S., Olsson, M., Khan, S. S., Nunes, E. V., Montoya, I., Liu, S. M., Grant, B. F., & Blanco, C. (2010). Generalizability of clinical trials for cannabis dependence to community samples. *Drug and Alcohol Dependence*, 111(1–2), 177–181. <https://doi.org/10.1016/j.drugalcdep.2010.04.009>
- Oliveira, V., De Prisco, M., Fico, G., Possidente, C., Fortea, L., Montejo, L., Anmella, G., Hidalgo-Mazzei, D., Grande, I., Murru, A., Fornaro, M., de Bartolomeis, A., Dodd, A., Fanelli, G., Fabbri, C., Serretti, A., Vieta, E., & Radua, J. (2023). Correlation between emotion dysregulation and mood symptoms of bipolar disorder: A systematic review and meta-analysis. *Acta Psychiatrica Scandinavica*, 148(6), 472–490. <https://doi.org/10.1111/acps.13618>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., McGuinness, L. A., ... Moher, D. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ (Clinical research ed.)*, 372, n71. <https://doi.org/10.1136/bmj.n71>
- Pinto, J. V., Medeiros, L. S., Santana da Rosa, G., Santana de Oliveira, C. E., Crippa, J. A. S., Passos, I. C., & Kauer-Sant'Anna, M. (2019). The prevalence and clinical correlates of cannabis use and cannabis use disorder among patients with bipolar disorder: A systematic review with meta-analysis and meta-regression. *Neuroscience & Biobehavioral Reviews*, 101, 78–84. <https://doi.org/10.1016/j.neubiorev.2019.04.004>
- Riediger, M., & Bellingtier, J. A. (2021). Emotion regulation across the lifespan. In D. Dukes, A. C. Samson, & E. Walle (Eds.), *The Oxford Handbook of Emotional Developmental* (pp. 1–27). Oxford University Press.
- Shadur, J. M., & Lejuez, C. W. (2015). Adolescent substance use and comorbid psychopathology: Emotion regulation deficits as a transdiagnostic risk factor. *Current Addiction Reports*, 2, 354–363. <https://doi.org/10.1007/s40429-015-0070-y>
- Sinharay, S. (2010). Jackknife methods. In P. Peterson, E. Baker, & B. McGaw (Eds.), *International Encyclopedia of Education* (3rd edition, pp. 229–231). Elsevier. <https://doi.org/10.1016/B978-0-08-044894-7.01338-5>
- Sloan, E., Hall, K., Moulding, R., Bryce, S., Mildred, H., & Staiger, P. K. (2017). Emotion regulation as a transdiagnostic treatment construct across anxiety, depression, substance, eating and borderline personality disorders: A systematic review. *Clinical Psychology Review*, 57, 141–163. <https://doi.org/10.1016/j.cpr.2017.09.002>
- Stellern, J., Xiao, K. bin, Grennell, E., Sanches, M., Gowin, J., & Sloan, M. (2023). Emotion regulation in substance use disorders: A systematic review and meta-analysis. *Addiction*, 118, 30–47. <https://doi.org/10.1111/add.16001>
- Su, J. C., Park, I. J. K., Chang, J., Kim, S. Y., Dezutter, J., Seol, K. O., Lee, R. M., Soto, J. A., Zamboanga, B. L., Ham, L. S., Hurter, E. A., & Brown, E. (2015). Differential links between expressive suppression and well-being among Chinese and Mexican American college students. *Asian American Journal of Psychology*, 6(1), 15–24. <https://doi.org/10.1037/a0036116>
- Tull, M. T., Gratz, K. L., McDermott, M. J., Bordieri, M. J., Daughters, S. B., & Lejuez, C. W. (2016). The role of emotion regulation difficulties in the relation

- between PTSD symptoms and the learned association between trauma-related and cocaine cues. *Substance Use & Misuse*, 51, 1318–1329. <https://doi.org/10.3109/10826084.2016.1168445>
- Velotti, P., Rogier, G., Beomonte Zobel, S., & Billieux, J. (2021). Association between gambling disorder and emotion (dys)regulation: A systematic review and meta-analysis. *Clinical Psychology Review*, 102037. <https://doi.org/10.1016/j.cpr.2021.102037>
- Wang, C., Cunningham-Erdogdu, P., Steers, M. N., Weinstein, A. P., & Neighbors, C. (2020). Stressful life events and gambling: The roles of coping and impulsivity among college students. *Addictive Behaviors*, 107, Article 106386. <https://doi.org/10.1016/j.addbeh.2020.106386>
- Weiss, N. H., Kiefer, R., Goncharenko, S., Raudales, A. M., Forkus, S. R., Schick, M. R., & Contractor, A. A. (2022). Emotion regulation and substance use: A meta-analysis. *Drug and Alcohol Dependence*, 230, Article 109131. <https://doi.org/10.1016/j.drugalcdep.2021.109131>
- Weiss, N. H., Sullivan, T. P., & Tull, M. T. (2015). Explicating the role of emotion dysregulation in risky behaviors: A review and synthesis of the literature with directions for future research and clinical practice. *Current Opinion in Psychology*, 3, 22–29. <https://doi.org/10.1016/j.copsyc.2015.01.013>
- Westphal, M., Aldao, A., & Jackson, C. (2017). Emotion dysregulation in comorbid posttraumatic stress disorder and substance use disorders: A narrative review. *Military Psychology*, 29, 216–233. <https://doi.org/10.1037/mil0000157>
- Willie, C., Gill, P. R., Teese, R., Stavropoulos, V., & Jago, A. (2022). Emotion-driven problem behaviour: The predictive utility of positive and negative urgency. *Brain and Neuroscience Advances*, 24. <https://doi.org/10.1177/23982128221079573>
- Windle, M. (2020). Sex differences in substance use from adolescence to young adulthood: Tests of increases in emergent adulthood and maturing out in later young adulthood. *Drug and Alcohol Dependence*, 207, Article 107813. <https://doi.org/10.1016/j.drugalcdep.2019.107813>
- ### Further reading
- * Adams, C. E., Tull, M. T., & Gratz, K. L. (2012). The role of emotional nonacceptance in the relation between depression and recent cigarette smoking. *The American Journal on Addictions*, 21, 293–301. <https://doi.org/10.1111/j.1521-0391.2012.00238.x>
- * Aker, M., Harmer, C., & Landro, N. I. (2014). More rumination and less effective emotion regulation in previously depressed women with preserved executive functions. *BMC Psychiatry*, 14, 334. <https://doi.org/10.1186/s12888-014-0334-4>
- * Amendola, S., Spensieri, V., Guidetti, V., & Cerutti, R. (2019). The relationship between difficulties in emotion regulation and dysfunctional technology use among adolescents. *Journal of Psychopathology*, 25, 10–17.
- * Arsiwalla, D. D. (2017). The role of alcohol consumption and romantic attachment insecurity as risk factors for disrupted sleep and emotion regulation among underage and young adult drinkers. *North American Journal of Psychology*, 19, 499–524.
- * Aurora, P., & Klanecky, A. K. (2016). Drinking motives mediate emotion regulation difficulties and problem drinking in college students. *The American Journal of Drug and Alcohol Abuse*, 42, 341–350. <https://doi.org/10.3109/00952990.2015.1133633>
- * Azzi, V., Bianchi, D., Pompili, S., Laghi, F., Gerges, S., Akel, M., Malaeb, D., Obeid, S., & Hallit, S. (2022). Emotion regulation and drunkorexia behaviors among Lebanese adults: the indirect effects of positive and negative metacognition. *BMC Psychiatry*, 22, 391. <https://doi.org/10.1186/s12888-022-04030-x>
- * Barr, N., Fulginiti, A., Rhoades, H., & Rice, E. (2017). Can better emotion regulation protect against suicidality in traumatized homeless youth? *Archives of Suicide Research*, 21, 490–501. <https://doi.org/10.1080/13811118.2016.1224989>
- * Barrault, S., Bonnaire, C., & Herrmann, F. (2017). Anxiety, depression and emotion regulation among regular online poker players. *Journal of Gambling Studies*, 33, 1039–1050. <https://doi.org/10.1007/s10899-017-9669-3>
- * Barrault, S., Mathieu, S., Brunault, P., & Varescon, I. (2019). Does gambling type moderate the links between problem gambling, emotion regulation, anxiety, depression and gambling motives. *International Gambling Studies*, 19, 54–68. <https://doi.org/10.1080/14459795.2018.1501403>
- * Bjureberg, J., Ljótsson, B., Tull, M. T., Hedman, E., Sahlin, H., Lundh, L.-G., Bjärehed, J., DiLillo, D., Messman-Moore, T., Gumpert, C. H., & Gratz, K. L. (2016). Development and validation of a brief version of the difficulties in Emotion Regulation Scale: The DERS-16. *Journal of Psychopathology and Behavioral Assessment*, 38, 284–296. <https://doi.org/10.1007/s10862-015-9514-x>
- * Blanchard, B. E., Stevens, A., Cann, A. T., & Littlefield, A. K. (2019). Regulate yourself: Emotion regulation and protective behavioral strategies in substance use behaviors. *Addictive Behaviors*, 92, 95–101. <https://doi.org/10.1016/j.addbeh.2018.12.020>
- * Blasi, M. di, Giardina, A., Giordano, C., Coco, G. lo, Tosto, C., Billieux, J., & Schimmenti, A. (2019). Problematic video game use as an emotional coping strategy: Evidence from a sample of MMORPG gamers. *Journal of Behavioral Addictions*, 8, 25–34. <https://doi.org/10.1556/2006.8.2019.02>
- * Bonn-Miller, M. O., Vujanovic, A. A., & Zvolensky, M. J. (2008). Emotional dysregulation: Association with coping-oriented marijuana use motives among current marijuana users. *Substance Use & Misuse*, 43, 1653–1665. <https://doi.org/10.1080/10826080802241292>
- * Bonn-Miller, M. O., Vujanovic, A. A., Boden, M. T., & Gross, J. J. (2011). Posttraumatic stress, difficulties in emotion regulation, and coping-oriented marijuana use. *Cognitive Behaviour Therapy*, 40, 34–44. <https://doi.org/10.1080/16506073.2010.525253>
- * Borders, A., Barnwell, S. S., & Earleywine, M. (2007). Alcohol-aggression expectancies and dispositional rumination moderate the effect of alcohol consumption on alcohol-related aggression and hostility. *Aggressive Behavior*, 33, 327–338. <https://doi.org/10.1002/ab.20187>
- * Brem, M. J., Stuart, G. L., Cornelius, T. L., & Shorey, R. C. (2021). A longitudinal examination of alcohol problems and cyber, psychological, and physical dating abuse: The moderating role of emotion dysregulation. *Journal of Interpersonal Violence*, 36, NP10499–NP10519. <https://doi.org/10.1177/0886260519876029>
- * Bresin, K., Mekawi, Y., Stevens, J. S., Hinrichs, R., Fani, N., Michopoulos, V., & Powers, A. (2022). From alcohol to aggression: Examining the structure and nomological network of dysregulated behaviors in a trauma-exposed community sample. *Journal of Clinical Psychology*, 78(6), 1220–1239. <https://doi.org/10.1002/jclp.23288>
- * Brinkman, H. R., Smith, J. E., Leyro, T. M., Zvolensky, M., & Farris, S. G. (2023). Effect of emotion regulation difficulties on acute smoking urges following a 35% carbon dioxide challenge. *Cognitive Therapy Research*, 47, 84–93. <https://doi.org/10.1007/s10608-022-10342-9>
- * Buen, A., & Flack, M. (2022). Predicting problem gambling severity: Interplay between emotion dysregulation and gambling-related cognitions. *Journal of Gambling Studies*, 38, 483–498. <https://doi.org/10.1007/s10899-021-10039-w>
- Cena, L., Rota, M., Calza, S., Trainini, A., Zecca, S., Zappa, S. B., Nodari, L. S., & Stefana, A. (2022). Prevalence and types of video gaming and gambling activities among adolescent public-school students: Findings from a cross-sectional study in Italy. *Italian Journal of Pediatrics*, 48, 108. <https://doi.org/10.1186/s13052-022-01299-2>
- * Cabrera, K. B., & Palm Reed, K. M. (2020). Transitional stress influences problem alcohol use and emotion regulation in late adolescence: A mixed-methods study. *Journal of Child & Adolescent Substance Abuse*, 28, 343–354. <https://doi.org/10.1080/1067828X.2020.1789527>
- * Castaños-Cervantes, S., & Domínguez-González, A. (2020). Depression in Mexican medical students: A path model analysis. *Heliyon*, 6. <https://doi.org/10.1016/j.heliyon.2020.e04178>
- * Cavalli, J. M., & Cservenka, A. (2021). Emotion dysregulation moderates the association between stress and problematic cannabis use. *Frontiers in Psychiatry*, 11, Article 597789. <https://doi.org/10.3389/fpsy.2020.597789>
- * Cavicchioli, M., Ramella, P., Vassena, G., Simone, C., Prudenziati, F., Sirtori, F., Movalli, M., & Maffei, C. (2020). Mindful self-regulation of attention is a key protective factor for emotional dysregulation and addictive behaviors among individuals with alcohol use disorder. *Addictive Behaviors*, 105, Article 106317. <https://doi.org/10.1016/j.addbeh.2020.106317>
- * Chandley, R. B., Luebbe, A. M., Messman-Moore, T. L., & Rose, M. W. (2014). Anxiety sensitivity, coping motives, emotion dysregulation, and alcohol-related outcomes in college women: A moderated-mediation model. *Journal of Studies on Alcohol and Drugs*, 75, 83–92. <https://doi.org/10.15288/jsad.2014.75.83>
- * Charak, R., Villarreal, L., Schmitz, R. M., Hirai, M., & Ford, J. D. (2019b). Patterns of childhood maltreatment and intimate partner violence, emotion dysregulation, and mental health symptoms among lesbian, gay, and bisexual emerging adults: A three-step latent class approach. *Child Abuse & Neglect*, 89, 99–110. <https://doi.org/10.1016/j.chiabu.2019.01.007>
- * Charak, R., Ford, J. D., Modrowski, C. A., & Kerig, P. K. (2019). Polyvictimization, emotion dysregulation, symptoms of posttraumatic stress disorder, and behavioral health problems among justice-involved youth: A latent class analysis. *Journal of Abnormal Child Psychology*, 47, 287–298. <https://doi.org/10.1007/s10802-018-0431-9>
- * Charles, N. E., Floyd, P. N., Bulla, B. A., Barry, C. T., & Anestis, J. C. (2021). PAI-A predictors of treatment response in a DBT-A-informed intervention for adolescent boys. *Journal of Psychopathology and Behavioral Assessment*, 43(4), 840–853. <https://doi.org/10.1007/s10862-021-09886-z>
- * Chase, T., Teng, E. J., Schmidt, N. B., & Zvolensky, M. J. (2018). Emotion regulation difficulties in relation to anxiety, depression, and functional impairment among treatment-seeking smokers. *The Journal of Nervous and Mental Disease*, 206, 614–620. <https://doi.org/10.1097/NMD.0000000000000866>
- * Chavarria, J., Ennis, C., Moltisanti, A., Allan, N. P., & Taylor, J. (2021). Determining the pathways to alcohol use consequences: A chained mediation approach. *International Journal of Mental Health and Addiction*, 19, 1841–1853. <https://doi.org/10.1007/s11469-020-00272-6>
- * Christ, N. M., Byllesby, B. M., & Elhai, J. D. (2022). The effect of cognitive-affective factors on PTSD and alcohol use symptoms: An investigation on rumination, suppression, and reappraisal. *Substance Use & Misuse*, 57(14), 2053–2062. <https://doi.org/10.1080/10826084.2022.2129997>
- * Ciccarella, M., Nigro, G., D'Olimpio, F., Griffiths, M. D., & Cosenza, M. (2021). Mentalizing failures, emotional dysregulation, and cognitive distortions among adolescent problem gamblers. *Journal of Gambling Studies*, 37, 283–298. <https://doi.org/10.1007/s10899-020-09967-w>
- * de Lisle, S., Dowling, N. A., & Allen, J. S. (2014). Mechanisms of action in the relationship between mindfulness and problem gambling behaviour. *International Journal of Mental Health and Addiction*, 12(2), 206–225. <https://doi.org/10.1007/s11469-014-9475-4>
- * Decker, S. E., Morie, K., Hunkele, K., Babuscio, T., & Carroll, K. M. (2016). Emotion regulation strategies in individuals with cocaine use disorder maintained on methadone. *The American Journal on Addictions*, 25, 529–532. <https://doi.org/10.1111/ajad.12439>
- * Dragan, M. (2020). Adverse experiences, emotional regulation difficulties and psychopathology in a sample of young women: Model of associations and results of cluster and discriminant function analysis. *European Journal of Trauma & Dissociation*, 4, Article 100091. <https://doi.org/10.1016/j.ejtd.2018.12.001>
- * Dutcher, C. D., Vujanovic, A. A., Paulus, D. J., & Bartlett, B. A. (2017). Childhood maltreatment severity and alcohol use in adult psychiatric inpatients: The mediating

- role of emotion regulation difficulties. *General Hospital Psychiatry*, 48, 42–50. <https://doi.org/10.1016/j.genhosppsych.2017.06.014>.
- * Dvorak, R. D., Sargent, E. M., Kilwein, T. M., Stevenson, B. L., Kuvaas, N. J., & Williams, T. J. (2014). Alcohol use and alcohol-related consequences: Associations with emotion regulation difficulties. *The American Journal of Drug and Alcohol Abuse*, 40, 125–130. <https://doi.org/10.3109/00952990.2013.877920>.
- * El Archi, S., Barrault, S., Garcia, M., Branger, S., Mauge, D., Ballon, N., & Brunault, P. (2023). Adult ADHD diagnosis, symptoms of impulsivity, and emotional dysregulation in a clinical sample of outpatients consulting for a behavioral addiction. *Journal of Attention Disorders*, 27(7), 731–742. <https://doi.org/10.1177/10870547231161336>.
- * Elmas, H. G., Cesur, G., & Oral, E. T. (2017). Alexithymia and pathological gambling: The mediating role of difficulties in emotion regulation. *Turkish Journal of Psychiatry*, 28, 1–7.
- * English, D., Rendina, H. J., & Parsons, J. T. (2018). The effects of intersecting stigma: A longitudinal examination of minority stress, mental health, and substance use among black, latino, and multiracial gay and bisexual men. *Psychology of Violence*, 8, 669–679. <https://doi.org/10.1037/vio0000218>.
- * Espeleta, H. C., Brett, E. I., Ridings, L. E., Leavens, E. L. S., & Mullins, L. L. (2018). Childhood adversity and adult health-risk behaviors: Examining the roles of emotion dysregulation and urgency. *Child Abuse & Neglect*, 82, 92–101. <https://doi.org/10.1016/j.chiabu.2018.05.027>.
- * Estévez, A., Jáuregui, P., Sánchez-Marcos, I., López-González, H., & Griffiths, M. D. (2017). Attachment and emotion regulation in substance addictions and behavioral addictions. *Journal of Behavioral Addictions*, 6, 534–544. <https://doi.org/10.1556/2006.6.2017.086>.
- * Estévez, A., Macía, L., López-González, H., Momeñe, J., Jauregui, P., Etxaburu, N., Granero, R., Fernández-Aranda, F., Mestre-Bach, G., Vitró-Alcaraz, C., Munguía, L., Baenas, I., Mena-Moreno, T., Mora-Maltas, B., Valenciano-Mendoza, E., & Jiménez-Murcia, S. (2023). Cyberbullying and gambling disorder: associations with emotion regulation and coping strategies. *Journal of Gambling Studies*, 39(3), 1399–1416. <https://doi.org/10.1007/s10899-022-10160-4>.
- * Estévez, A., Herrero, D., Sarabia, I., & Jáuregui, P. (2014). Mediating role of emotional regulation between impulsive behavior in gambling, Internet and videogame abuse, and dysfunctional symptomatology in young adults and adolescents. *Adicciones*, 26, 282. <https://doi.org/10.20882/adicciones.26>.
- * Estévez, A., Jáuregui, P., & Macía, L. (2021). Pathological gamblers profiles according to impulsivity and emotional regulation. *Behavioral Psychology*, 29(3), 681–697. <https://doi.org/10.51668/bp.8321310s>.
- * Estévez, A., Jáuregui, P., Macía, L., & Martín-Pérez, C. (2022a). Alexithymia and emotion regulation strategies in adolescent gamblers with and without at-risk profiles. *Journal of Gambling Studies*, 38, 15–29. <https://doi.org/10.1007/s10899-021-10057-8>.
- * Estévez, A., Momeñe, J., Jauregui, P., & Etxaburu, N. (2022b). Shame and blame in gambling: Relationship with emotion regulation and gambling motives. *International Journal of Mental Health and Addiction*. <https://doi.org/10.1007/s11469-022-00970-3>. Advance online publication.
- * Fairholme, C. P., Nosen, E. L., Nillni, Y. I., Schumacher, J. A., Tull, M. T., & Coffey, S. F. (2013). Sleep disturbance and emotion dysregulation as transdiagnostic processes in a comorbid sample. *Behaviour Research and Therapy*, 51, 540–546. <https://doi.org/10.1016/j.brat.2013.05.014>.
- * Farris, S. G., Zvolensky, M. J., & Schmidt, N. B. (2015). Difficulties with emotion regulation and psychopathology interact to predict early smoking cessation lapse. *Cognitive Therapy Research*, 40, 357–367. <https://doi.org/10.1007/s10608-015-9705-5>.
- * Farstad, S. M., & von Ranson, K. M. (2021). Binge eating and problem gambling are prospectively associated with common and distinct deficits in emotion regulation among community women. *Canadian Journal of Behavioural Science*, 53, 36–47. <https://doi.org/10.1037/cbs0000239>.
- * Faulkner, P., Machon, S., Brown, C., Sandrini, M., Kamboj, S., & Allen, P. (2022). Cigarette smoking is associated with difficulties in the use of reappraisal for emotion regulation. *Drug and Alcohol Dependence*, 234, Article 109416. <https://doi.org/10.1016/j.drugalcdep.2022.109416>.
- * Feingold, D., & Zerach, G. (2021). Emotion regulation and experiential avoidance moderate the association between posttraumatic symptoms and alcohol use disorder among Israeli combat veterans. *Addictive Behaviors*, 115, Article 106776. <https://doi.org/10.1016/j.addbeh.2020.106776>.
- * Fillo, J., Kamper-DeMarco, K. E., Brown, W. C., Stasiewicz, P. R., & Bradizza, C. M. (2019). Emotion regulation difficulties and social control correlates of smoking among pregnant women trying to quit. *Addictive Behaviors*, 89, 104–112. <https://doi.org/10.1016/j.addbeh.2018.09.033>.
- * Garey, L., Bakhshaie, J., Sharp, C., Neighbors, C., Zvolensky, M. J., & Gonzalez, A. (2015). Anxiety, depression, and HIV symptoms among persons living with HIV/AIDS: The role of hazardous drinking. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, 27, 80–85. <https://doi.org/10.1080/09540121.2014.956042>.
- * Garofalo, C., & Velotti, P. (2015). Alcohol misuse in psychiatric patients and nonclinical individuals: The role of emotion dysregulation and impulsivity. *Addiction Research & Theory*, 23, 294–300. <https://doi.org/10.3109/16066359.2014.987758>.
- * Goncharenko, S., Weiss, N. H., Contractor, A. A., Dixon-Gordon, K. L., & Forkus, S. R. (2019). The role of gender in the associations among posttraumatic stress disorder symptom, severity, difficulties regulating emotions, and alcohol misuse. *Addictive Behaviors*, 99, Article 106086. <https://doi.org/10.1016/j.addbeh.2019.106086>.
- * Gonzalez, A., Zvolensky, M. J., Vujanovic, A. A., Leyro, T. M., & Marshall, E. C. (2008). An evaluation of anxiety sensitivity, emotional dysregulation, and negative affectivity among daily cigarette smokers: Relation to smoking motives and barriers to quitting. *Journal of Psychiatric Research*, 43, 138–147. <https://doi.org/10.1016/j.jpsychires.2008.03.002>.
- * Gonzalez, A., Vujanovic, A. A., Johnson, K. A., Leyro, T. M., & Zvolensky, M. J. (2009). The role of mindful attention in regard to the relation between negative affect reduction outcome expectancies and emotional vulnerability among adult cigarette smokers. *Cognitive Therapy and Research*, 33, 645–656. <https://doi.org/10.1007/s10608-009-9246-x>.
- * Gratz, K. L., Scamaldo, K. M., Vidaña, A. G., Richmond, J. R., & Tull, M. T. (2021). Prospective interactive influence of financial strain and emotional nonacceptance on problematic alcohol use during the COVID-19 pandemic. *The American Journal of Drug and Alcohol Abuse*, 47, 107–116. <https://doi.org/10.1080/00952990.2020.1849248>.
- * Grigorian, H. L., Garner, A., Florimbio, A. R., Brem, M. J., Wolford-Clevenger, C., Elmquist, J. M., Shorey, R. C., & Stuart, G. L. (2019). Emotion dysregulation as a correlate of intimate partner violence among women arrested for domestic violence. *Partner Abuse*, 10, 98–113. <https://doi.org/10.1891/1946-6560.10.1.98>.
- * Grigorian, H. L., Brem, M. J., Garner, A., Florimbio, A. R., Wolford-Clevenger, C., & Stuart, G. L. (2020). Alcohol use and problems as a potential mediator of the relationship between emotion dysregulation and intimate partner violence perpetration. *Psychology of Violence*, 10, 91–99. <https://doi.org/10.1037/vio0000237>.
- * Hall, K., Simpson, A., O'Donnell, R., Sloan, E., Staiger, P. K., Morton, J., Ryan, D., Nunn, B., Best, D., & Lubman, D. I. (2018). Emotional dysregulation as a target in the treatment of co-existing substance use and borderline personality disorders: A pilot study. *Clinical Psychologist*, 22(2), 112–125. <https://doi.org/10.1111/cp.12162>.
- * Hartmann, S. A., & McLeish, A. C. (2021). Associations between transdiagnostic cognitive-affective vulnerability factors, negative reinforcement drinking motives, and problematic alcohol use among undergraduates. *Journal of Dual Diagnosis*, 17(1), 13–22. <https://doi.org/10.1080/15504263.2020.1828671>.
- * Hasking, P., & Claes, L. (2020). Transdiagnostic mechanisms involved in nonsuicidal self-injury, risky drinking and disordered eating: Impulsivity, emotion regulation and alexithymia. *Journal of American College Health*, 68, 603–609. <https://doi.org/10.1080/07448481.2019.1583661>.
- * Hasking, P., Dawkins, J., Gray, N., Wijeratne, P., & Boyes, M. (2020). Indirect effects of family functioning on non-suicidal self-injury and risky drinking: The roles of emotion reactivity and emotion regulation. *Journal of Child and Family Studies*, 29, 2070–2079. <https://doi.org/10.1007/s10826-020-01722-4>.
- * Heads, A. M., Glover, A. M., Castillo, L. G., Blozis, S., Kim, S. Y., & Ali, S. (2021). Perceived discrimination and risk behaviors in African American students: The potential moderating roles of emotion regulation and ethnic socialization. *Journal of Racial Ethnic Health Disparities*, 8, 494–506. <https://doi.org/10.1007/s40615-020-00807-6>.
- * Henrich, L. C., Antypa, N., & van den Berg, J. F. (2021). Sleep quality in students: Associations with psychological and lifestyle factors. *Current Psychology*, 42, 4601–4608. <https://doi.org/10.1007/s12144-021-01801-9>.
- * Hollett, K. B., & Harris, N. (2020). Dimensions of emotion dysregulation associated with problem video gaming. *Addiction Research & Theory*, 28, 38–45. <https://doi.org/10.1080/16066359.2019.1579801>.
- * Holzhauer, C. G., & Gamble, S. A. (2017). Depressive symptoms mediate the relationship between changes in emotion regulation during treatment and abstinence among women with alcohol use disorders. *Psychology of Addictive Behaviors*, 31, 284–294. <https://doi.org/10.1037/adb0000274>.
- * Hooker, J. E., LaRowe, L. R., Powers, J. M., & Ditte, J. W. (2022). Pain intensity, emotion dysregulation, and hazardous drinking among adults with chronic pain. *Journal of Studies on Alcohol and Drugs*, 83(2), 223–230. <https://doi.org/10.15288/jsad.2022.83.223>.
- * Horvath, S. A., Shorey, R. C., & Racine, S. E. (2020). Emotion dysregulation as a correlate of food and alcohol disturbance in undergraduate students. *Eating Behaviors*, 38, Article 101409. <https://doi.org/10.1016/j.eatbeh.2020.101409>.
- * Hutchison, M., Russell, B. S., Carney, L. M., Finkelstein-Fox, L., & Park, C. L. (2020). Collegiate substance use: A tale of differential risk and coping. *Drug and Alcohol Dependence*, 212, Article 108038. <https://doi.org/10.1016/j.drugalcdep.2020.108038>.
- * Innamorati, M., Imperatori, C., Harnic, D., Erbuto, D., Patitucci, E., Janiri, L., Lamis, D. A., Pompili, M., Tamburello, S., & Fabbriatore, M. (2017). Emotion regulation and mentalization in people at risk for food addiction. *Behavioral Medicine*, 43, 21–30. <https://doi.org/10.1080/08964289.2015.1036831>.
- * Jara-Rizzo, M. F., Navas, J. F., Catena, A., & Perales, J. C. (2019). Types of emotion regulation and their associations with gambling: A cross-sectional study with disordered and non-problem ecuadorian gamblers. *Journal of Gambling Studies*, 35, 997–1013. <https://doi.org/10.1007/s10899-019-09868-7>.
- * Jauregui, P., & Estevez, A. (2020). Predictive role of attachment, coping, and emotion regulation in gambling motives of adolescents and young people. *Journal of Gambling Studies*, 36, 1283–1300. <https://doi.org/10.1007/s10899-019-09893-6>.
- * Jauregui, P., Estévez, A., & Urbiola, I. (2016). Pathological gambling and associated drug and alcohol abuse, emotion regulation, and anxious-depressive symptomatology. *Journal of Behavioral Addictions*, 5, 251–260. <https://doi.org/10.1556/2006.5.2016.038>.
- * Jin, L., Keegan, F. S., Weiss, N. H., Alghraibeh, A. M., Aljomaa, S. S., Almuhayshir, A. R., & Contractor, A. A. (2022). Examining indirect effects of emotion dysregulation between PTSD symptom clusters and reckless/self-destructive behaviors. *Psychological Trauma: Theory, Research, Practice and Policy*, 14(4), 688–695. <https://doi.org/10.1037/tra0001118>.
- * Johnson, A. L., & McLeish, A. C. (2016). The indirect effect of emotion dysregulation in terms of negative affect and smoking-related cognitive processes. *Addictive Behaviors*, 53, 187–192. <https://doi.org/10.1016/j.addbeh.2015.10.023>.

- * Johnson, K. A., Zvolensky, M. J., Marshall, E. C., Gonzalez, A., Abrams, K., & Vujanovic, A. A. (2008). Linkages between cigarette smoking outcome expectancies and negative emotional vulnerability. *Addictive Behaviors*, 33, 1416–1424. <https://doi.org/10.1016/j.addbeh.2008.05.001>.
- * Kőkönyei, G., Kocsal, N., Király, O., Griffiths, M. D., Galambos, A., Magi, A., Paksi, B., & Demetrovics, Z. (2019). The role of cognitive emotion regulation strategies in problem gaming among adolescents: A nationally representative survey study. *Frontiers in Psychiatry*, 10, 273. <https://doi.org/10.3389/fpsy.2019.00273>.
- * Kahl, J., Holl, J., Grundmann, J., Lotzin, A., Hiller, P., Schroeder, K., Schulte, B., Barnow, S., & Schäfer, I. (2020). Emotion regulation as a mediator between childhood abuse and neglect and posttraumatic stress disorder in women with substance use disorders. *Substance Use & Misuse*, 55, 2184–2193. <https://doi.org/10.1080/10826084.2020.1797805>.
- * Khosravani, V., Samimi Ardestani, S. M., Sharifi Bastan, F., Mohammadzadeh, A., & Amirinezhad, A. (2019). Childhood maltreatment, cognitive emotion regulation strategies, and alcohol craving and dependence in alcohol-dependent males: Direct and indirect pathways. *Child Abuse & Neglect*, 98, Article 104197. <https://doi.org/10.1016/j.chiabu.2019.104197>.
- * Khosravani, V., Sharifi Bastan, F., Avatefi, B., & Mofidi, F. (2018). Alexithymia influences craving through facets of emotion regulation in alcoholic patients. *Journal of Substance Use*, 23, 29–35. <https://doi.org/10.1080/14659891.2017.1333163>.
- * Khosravani, V., Sharifi Bastan, F., Ghorbani, F., & Kamali, Z. (2017). Difficulties in emotion regulation mediate negative and positive affects and craving in alcoholic patients. *Addictive Behaviors*, 71, 75–81. <https://doi.org/10.1016/j.addbeh.2017.02.029>.
- * Kim, S., & Kwon, J.-H. (2020). Moderation effect of emotion regulation on the relationship between social anxiety, drinking motives and alcohol related problems among university students. *BMC Public Health*, 20, 709. <https://doi.org/10.1186/s12889-020-08776-5>.
- * Kim, K., Kim, S. H., & Kim, S. (2022). Psychometric properties of the Korean version of the Emotion Regulation Questionnaire (K-ERQ) in a clinical sample. *Psychiatry Investigation*, 19(2), 125–134. <https://doi.org/10.30773/pi.2021.0269>.
- * King, S. A., Hubbard, S. M., Teeters, J. B., & Brausch, A. M. (2023). A longitudinal examination of alcohol use and emotion dysregulation in adolescence. *Experimental and Clinical Psychopharmacology*, 31(2), 414–422. <https://doi.org/10.1037/pha0000624>.
- * Kirk-Provencher, K. T., Penner, A. E., McRae, K., & Gowin, J. L. (2023). Emotion regulation in young adults with family history of harmful alcohol use: A fMRI study. *Drug and Alcohol Dependence*, 243, Article 109752. <https://doi.org/10.1016/j.drugalcdep.2022.109752>.
- * Kirwan, M., Lanni, D. J., Warnke, A., Pickett, S. M., & Parkhill, M. R. (2019). Emotion regulation moderates the relationship between alcohol consumption and the perpetration of sexual aggression. *Violence Against Women*, 25, 1053–1073. <https://doi.org/10.1177/1077801218808396>.
- * Klanecky, A. K., Ruhnke, E. J., & Meyer, R. M. (2019). The interaction of child/adolescent trauma exposure, emotion regulation difficulties, and induced negative mood on tension reduction alcohol expectancies. *Psychology of Addictive Behaviors*, 33, 274–284. <https://doi.org/10.1037/adb0000448>.
- * Kopera, M., Trucco, E. M., Suszek, H., Kobylinski, P., Wiśniewski, P., Wojnar, M., & Jakubczyk, A. (2021). Pain sensitivity, negative affect, and alcohol use disorder status: A moderated mediation study of emotion dysregulation. *Journal of Clinical Medicine*, 10, 1321. <https://doi.org/10.3390/jcm10061321>.
- * Kuziy, E., Mekawi, Y., Michopoulos, V., & Powers, A. (2022). Identifying latent profiles of emotion dysregulation in a sample of primarily Black women with trauma exposure. *Journal of Psychiatric Research*, 156, 291–298. <https://doi.org/10.1016/j.jpsychires.2022.10.004>.
- * Laghi, F., Bianchi, D., Lonigro, A., Pompili, S., & Baiocco, R. (2021). Emotion regulation and alcohol abuse in second-generation immigrant adolescents: The protective role of cognitive reappraisal. *Journal of Health Psychology*, 26, 513–524. <https://doi.org/10.1177/1359105318820715>.
- * Laghi, F., Liga, F., & Pompili, S. (2019). Adolescents who binge eat and drink: The role of emotion regulation. *Journal of Addictive Diseases*, 37, 77–86. <https://doi.org/10.1080/10550887.2018.1553458>.
- * Lavender, J. M., Tull, M. T., DiLillo, D., Messman-Moore, T., & Gratz, K. L. (2017). Development and validation of a state-based measure of emotion dysregulation: The State Difficulties in Emotion Regulation Scale (S-DERS). *Assessment*, 24, 197–209. <https://doi.org/10.1177/1073191115601218>.
- * Lebeaut, A., Zegel, M., Leonard, S. J., Bartlett, B. A., & Vujanovic, A. A. (2021). Examining transdiagnostic factors among firefighters in relation to trauma exposure, probable PTSD, and probable alcohol use disorder. *Journal of Dual Diagnosis*, 17, 52–63. <https://doi.org/10.1080/15504263.2020.1854411>.
- * Leone, R. M., Jarnecke, A. M., Gilmore, A. K., & Flanagan, J. C. (2022). Alcohol use problems and conflict among couples: A preliminary investigation of the moderating effects of maladaptive cognitive emotion regulation strategies. *Couple and Family Psychology: Research and Practice*, 11, 290–299. <https://doi.org/10.1037/cfp0000160>.
- * Leyro, T. M., Vujanovic, A. A., & Bonn-Miller, M. O. (2015). Examining associations between cognitive-affective vulnerability and HIV symptom severity, perceived barriers to treatment adherence, and viral load among HIV-positive adults. *International Journal of Behavioral Medicine*, 22, 139–148. <https://doi.org/10.1007/s12529-014-9404-8>.
- * Lilly, M. M., & London, M. J. (2015). Broad clinical phenotype and facets of emotion regulation in interpersonal trauma survivors. *Journal of Clinical Psychology*, 71, 885–897. <https://doi.org/10.1002/jclp.22177>.
- * Linn, B. K., Zhao, J., Bradizza, C. M., Lucke, J. F., Ruszczyk, M. U., & Stasiewicz, P. R. (2021). Alexithymia disrupts emotion regulation processes and is associated with greater negative affect and alcohol problems. *Journal of Clinical Psychology*, 77(12), 2915–2928. <https://doi.org/10.1002/jclp.23279>.
- * London, E. D., Okita, K., Kinney, K. R., Dean, A. C., McClintick, M. N., Rizzor, E. J., Johnson, M. C., Mahmoudie, T., Brody, A. L., Nurmi, E. L., Seaman, L. C., Farahi, J., Ginder, N., & Mandelkern, M. A. (2020). No significant elevation of translocator protein binding in the brains of recently abstinent methamphetamine users. *Drug and Alcohol Dependence*, 213, Article 108104. <https://doi.org/10.1016/j.drugalcdep.2020.108104>.
- * Månsson, V., Molander, O., Carlbring, P., Rosendahl, I., & Berman, A. H. (2022). Emotion regulation-enhanced group treatment for gambling disorder: A non-randomized pilot trial. *BMC psychiatry*, 22(1), 16. <https://doi.org/10.1186/s12888-021-03630-3>.
- * Müller, T., & Bonnaire, C. (2021). Intrapersonal and interpersonal emotion regulation and identity: A preliminary study of avatar identification and gaming in adolescents and young adults. *Psychiatry Research*, 295, Article 113627. <https://doi.org/10.1016/j.psychres.2020.113627>.
- * Magar, E. C. E., Phillips, L. H., & Hosie, J. A. (2008). Self-regulation and risk-taking. *Personality and Individual Differences*, 45, 153–159. <https://doi.org/10.1016/j.paid.2008.03.014>.
- * Mallorquí-Bagué, N., Mena-Moreno, T., Granero, R., Vintró-Alcaraz, C., Sánchez-González, J., Fernández-Aranda, F., del Pino-Gutiérrez, A., Mestre-Bach, G., Aymamí, N., Gómez-Peña, M., Menchón, J. M., & Jiménez-Murcia, S. (2018). Suicidal ideation and history of suicide attempts in treatment-seeking patients with gambling disorder: The role of emotion dysregulation and high trait impulsivity. *Journal of Behavioral Addictions*, 7, 1112–1121. <https://doi.org/10.1556/2006.7.2018.132>.
- * Mandavia, A., Robinson, G. G. N., Bradley, B., Ressler, K. J., & Powers, A. (2016). Exposure to childhood abuse and later substance use: Indirect effects of emotion dysregulation and exposure to trauma. *Journal of Trauma Stress*, 29, 422–429. <https://doi.org/10.1002/jts.22131>.
- * Manning, K., Garey, L., Paulus, D. J., Buckner, J. D., Hogan, J. B. D., Schmidt, N. B., & Zvolensky, M. J. (2019). Typology of cannabis use among adults: A latent class approach to risk and protective factors. *Addictive Behaviors*, 92, 6–13. <https://doi.org/10.1016/j.addbeh.2018.12.008>.
- * Marchica, L. A., Keough, M. T., Montreuil, T. C., & Derevensky, J. L. (2020a). Emotion regulation interacts with gambling motives to predict problem gambling among emerging adults. *Addictive Behaviors*, 106, Article 106378. <https://doi.org/10.1016/j.addbeh.2020.106378>.
- * Marchica, L. A., Mills, D. J., Derevensky, J. L., & Montreuil, T. C. (2019a). The role of emotion regulation in video gaming and gambling disorder: A systematic review. *Canadian Journal of Addiction*, 10, 19–29. <https://doi.org/10.1097/CXA.0000000000000070>.
- * Marchica, L. A., Mills, D. J., Keough, M. T., & Derevensky, J. L. (2020b). Exploring differences among video gamers with and without depression: Contrasting emotion regulation and mindfulness. *Cyberpsychology, Behaviors, and Social Networking*, 23, 119–125. <https://doi.org/10.1089/cyber.2019.0451>.
- * McGrew, S. J., Raines, A. M., Walker, R. L., Leonard, S. J., & Vujanovic, A. A. (2023). Posttraumatic stress, alcohol use, and alcohol use motives among non-hispanic black/african american college students: the role of emotion regulation. *Journal of Dual Diagnosis*, 19(1), 3–15. <https://doi.org/10.1080/15504263.2022.2160037>.
- * Mehak, A., Miller, A. E., Troilo, V., & Racine, S. E. (2022). Feeling fat amid the COVID-19 pandemic: Examining the role of emotion dysregulation in the body displacement hypothesis. *Eating Behaviors*, 44, Article 101597. <https://doi.org/10.1016/j.eatbeh.2022.101597>.
- * Mena-Moreno, T., Munguía, L., Granero, R., Lucas, I., Fernández-Aranda, F., Gómez-Peña, M., Moragas, L., Verdejo-García, A., Menchón, J. M., & Jiménez-Murcia, S. (2022). e-Estesia: A serious game for reducing arousal, improving emotional regulation and increasing wellbeing in individuals with gambling disorder. *Journal of Clinical Medicine*, 11(22), 6798. <https://doi.org/10.3390/jcm11226798>.
- * Messman-Moore, T. L., & Ward, R. M. (2014). Emotion dysregulation and coping drinking motives in college women. *American Journal of Health Behaviors*, 38, 553–559. <https://doi.org/10.5993/AJHB.38.4.8>.
- * Messman-Moore, T. L., Ward, R. M., Zerubavel, N., Chandley, R. B., & Barton, S. N. (2015). Emotion dysregulation and drinking to cope as predictors and consequences of alcohol-involved sexual assault: Examination of short-term and long-term risk. *Journal of Interpersonal Violence*, 30, 601–621. <https://doi.org/10.1177/0886260514535259>.
- * Mestre-Bach, G., Steward, T., Potenza, M. N., Granero, R., Fernández-Aranda, F., Mena-Moreno, T., Magaña, P., Vintró-Alcaraz, C., del Pino-Gutiérrez, A., Menchón, J. M., & Jiménez-Murcia, S. (2019). The role of ADHD symptomatology and emotion dysregulation in Gambling Disorder. *Journal of Attention Disorders*, 25, 1230–1239. <https://doi.org/10.1177/1087054719894378>.
- * Mestre-Bach, G., Granero, R., Fernández-Aranda, F., Potenza, M. N., & Jiménez-Murcia, S. (2023). Roles for alexithymia, emotion dysregulation and personality features in gambling disorder: A network analysis. *Journal of Gambling Studies*, 39(3), 1207–1223. <https://doi.org/10.1007/s10899-022-10164-0>.
- * Miller, A. E., & Racine, S. E. (2022). Emotion regulation difficulties as common and unique predictors of impulsive behaviors in university students. *Journal of American College Health*, 70, 1387–1395. <https://doi.org/10.1080/07448481.2020.1799804>.
- * Mitchell, J. T., McLernon, F. J., Beckham, J. C., Brown, R. A., Lejuez, C. W., & Kollins, S. H. (2019). Smoking abstinence effects on emotion dysregulation in adult cigarette smokers with and without attention-deficit/hyperactivity disorder. *Drug and Alcohol Dependence*, 205, Article 107594. <https://doi.org/10.1016/j.drugalcdep.2019.107594>.
- * Momeñe, J., Estévez, A., Pérez-García, A. M., Jiménez, J., Chávez-Vera, M. D., Olave, L., & Iruarrizaga, I. (2021). Substance abuse and its relationship to emotional

- dependence, attachment and emotional regulation in adolescents. *Annals of Psychology*, 37, 121–132. <https://doi.org/10.6018/analesps.404671>.
- * Murray, A., Mannion, A., Chen, J. L., & Leader, G. (2022). Gaming disorder in adults with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 52, 2762–2769. <https://doi.org/10.1007/s10803-021-05138-x>.
- * Navas, J. F., Verdejo-García, A., Ópez-Gómez, M., Maldonado, A., & Perales, J. C. (2016). Gambling with rose-tinted glasses on: Use of emotion-regulation strategies correlates with dysfunctional cognitions in gambling disorder patients. *Journal of Behavioral Addictions*, 5, 271–281. <https://doi.org/10.1556/2006.5.2016.040>.
- * Norberg, M. M., Ham, L. S., Olivier, J., Zamboanga, B. L., Melkonian, A., & Fugitt, J. L. (2016). Pregaming and emotion regulation's relationship to alcohol problems in college students: A cross-sectional study. *Substance Use & Misuse*, 51, 1024–1033. <https://doi.org/10.3109/10826084.2016.1152498>.
- * Orr, M. F., Rogers, A. H., Shepherd, J. M., Buckner, J. D., Ditre, J. W., Bakhshaie, J., & Zvolensky, M. J. (2020). Is there a relationship between cannabis use problems, emotion dysregulation, and mental health problems among adults with chronic pain? *Psychology, Health & Medicine*, 25, 742–755. <https://doi.org/10.1080/13548506.2019.1653485>.
- * Ortiz, E., Shorey, R. C., & Cornelius, T. L. (2015). An examination of emotion regulation and alcohol use as risk factors for female-perpetrated dating violence. *Violence and Victims*, 30, 417–431. <https://doi.org/10.1891/0886-6708.VV-D-13-00173>.
- * Pace, U., Zappulla, C., DiMaggio, R., Alessia, P., & Craparo, G. (2015). Characteristics of regular gamblers in Italy: The role of control and emotion regulation. *Clinical Neuropsychiatry: Journal of Treatment Evaluation*, 12, 111–117.
- * Paulus, D. J., Bakhshaie, J., Lemaire, C., Garza, M., Ochoa-Perez, M., Valdivieso, J., Velasco, R. V., Bogiaizian, D., Kauffman, B. Y., Robles, Z., Neighbors, C., & Zvolensky, M. J. (2016a). Negative affectivity and problematic alcohol use among latinos in primary care: The role of emotion dysregulation. *Journal of Dual Diagnosis*, 12, 137–147. <https://doi.org/10.1080/15504263.2016.1172897>.
- * Paulus, D. J., Jardin, C., Bakhshaie, J., Sharp, C., Woods, S. P., Lemaire, C., Leonard, A., Neighbors, C., Brandt, C. P., & Zvolensky, M. J. (2016b). Anxiety sensitivity and hazardous drinking among persons living with HIV/AIDS: An examination of the role of emotion dysregulation. *Addictive Behaviors*, 63, 141–148. <https://doi.org/10.1016/j.addbeh.2016.07.013>.
- * Paulus, D. J., Gallagher, M. W., Rogers, A. H., Viana, A. G., Garza, M., Valdivieso, J., Ochoa-Perez, M., Lemaire, C., Bakhshaie, J., & Zvolensky, M. J. (2017a). Emotion dysregulation as a mechanism linking anxiety and hazardous drinking among Latinos in primary care. *The American Journal on Addictions*, 26, 615–622. <https://doi.org/10.1111/ajad.12574>.
- * Paulus, D. J., Valadka, J., Businelle, M. S., Gallagher, M. W., Viana, A. G., Schmidt, N. B., & Zvolensky, M. J. (2017b). Emotion dysregulation explains associations between anxiety sensitivity and hazardous drinking and drinking motives among adults treatment seeking smoker. *Psychology of Addictive Behaviors*, 31, 189–199. <https://doi.org/10.1037/adb0000252>.
- * Paulus, D. J., Rodriguez-Cano, R., Garza, M., Ochoa-Perez, M., Lemaire, C., Bakhshaie, J., Viana, A. G., & Zvolensky, M. J. (2019a). Acculturative stress and alcohol use among Latinx recruited from a primary care clinic: Moderations by emotion dysregulation. *American Journal of Orthopsychiatry*, 89, 589–599. <https://doi.org/10.1037/ort0000378>.
- * Paulus, D. J., Tran, N., Gallagher, M. W., Viana, A. G., Bakhshaie, J., Garza, M., Ochoa-Perez, M., Lemaire, C., & Zvolensky, M. J. (2019b). Examining the indirect effect of posttraumatic stress symptoms via emotion dysregulation on alcohol misuse among trauma-exposed Latinx in primary care. *Cultural Diversity and Ethnic Minority Psychology*, 25, 55–64. <https://doi.org/10.1037/cdp0000226>.
- * Paulus, D. J., Heggeness, L. F., Raines, A. M., & Zvolensky, M. J. (2021). Difficulties regulating positive and negative emotions in relation to coping motives for alcohol use and alcohol problems among hazardous drinkers. *Addictive Behaviors*, 115, Article 106781. <https://doi.org/10.1016/j.addbeh.2020.106781>.
- * Paulus, D. J., Hogan, J. B. D., & Zvolensky, M. J. (2018). Examining emotion dysregulation as an underlying factor explaining relations of anxiety sensitivity and cannabis use severity. *Translational Issues in Psychological Science*, 4, 21–32. <https://doi.org/10.1037/tps0000143>.
- * Paulus, D. J., Vujanovic, A. A., & Wardle, M. C. (2016c). Anxiety sensitivity and alcohol use among acute-care psychiatric inpatients: The mediating role of emotion regulation difficulties. *Cognitive Therapy and Research*, 40, 813–823. <https://doi.org/10.1007/s10608-016-9792-y>.
- * Pebole, M. M., Lyons, R. C., & Gobin, R. L. (2022). Correlates and consequences of emotion regulation difficulties among OEF/OIF/OND veterans. *Psychological Trauma: Theory, Research, Practice, and Policy*, 4, 326–335. <https://doi.org/10.1037/tra0001046>.
- * Pedrini, L., Meloni, S., Lanfredi, M., Ferrari, C., Geviti, A., Cattaneo, A., & Rossi, R. (2022). Adolescents' mental health and maladaptive behaviors before the Covid-19 pandemic and 1-year after: analysis of trajectories over time and associated factors. *Child and Adolescent Psychiatric and Mental Health*, 16, 42. <https://doi.org/10.1186/s13034-022-00474-x>.
- * Pompili, S., & Laghi, F. (2018). Drunkorexia among adolescents: The role of motivations and emotion regulation. *Eating Behaviors*, 29, 1–7. <https://doi.org/10.1016/j.eatbeh.2018.01.001>.
- * Pompili, S., di Tata, D., Bianchi, D., Lonigro, A., Zammuto, M., Baiocco, R., Longobardi, E., & Laghi, F. (2022). Food and alcohol disturbance among young adults during the COVID-19 lockdown in Italy: Risk and protective factors. *Eating and Weight Disorders – Studies on Anorexia, Bulimia and Obesity*, 27, 769–780. <https://doi.org/10.1007/s40519-021-01220-6>.
- * Poole, J. C., Kim, H. S., Dobson, K. S., & Hodgins, D. C. (2017). Adverse childhood experiences and disordered gambling: Assessing the mediating role of emotion dysregulation. *Journal of Gambling Studies*, 33, 1187–1200. <https://doi.org/10.1007/s10899-017-9680-8>.
- * Powers, A., Stevens, J., Fani, N., & Bradley, B. (2015). Construct validity of a short, self report instrument assessing emotional dysregulation. *Psychiatry Research*, 225, 85–92. <https://doi.org/10.1016/j.psychres.2014.10.020>.
- * Preonas, P. D., & Lau-Barraco, C. (2021). Affective factors explaining the association between depressive functioning and alcohol outcomes among college students. *Journal of American College Health*, 69, 513–519. <https://doi.org/10.1080/07448481.2019.1683565>.
- * Radomski, S. A., & Read, J. P. (2016). Mechanistic role of emotion regulation in the PTSD and alcohol association. *Traumatology*, 22, 113–121. <https://doi.org/10.1037/trm0000068>.
- * Raines, A. M., Chavarria, J., Allan, N. P., Short, N. A., & Schmidt, N. B. (2017). Hoarding behaviors and alcohol use: The mediating role of emotion dysregulation. *Substance Use & Misuse*, 52, 1684–1691. <https://doi.org/10.1080/10826084.2017.1305414>.
- * Rellini, A. H., Vujanovic, A. A., & Zvolensky, M. J. (2010). Emotional dysregulation: Concurrent relation to sexual problems among trauma-exposed adult cigarette smokers. *Journal of Sex & Marital Therapy*, 36, 137–153. <https://doi.org/10.1080/00926230903554545>.
- * Rodriguez-Cano, R., Paulus, D. J., Derrick, J. L., Blalock, J. A., & Zvolensky, M. J. (2022). Emotion dysregulation and hazardous drinking in relation to suicidal ideation among Spanish-speaking Latinx daily-smokers. *Journal of Substance Use & Addiction Treatment*, 132, Article 108508. <https://doi.org/10.1016/j.jsat.2021.108508>.
- * Rogers, A. H., Seager, I., Haines, N., Hahn, H., Aldao, A., & Ahn, W. Y. (2017). The indirect effect of emotion regulation on minority stress and problematic substance use in lesbian, gay, and bisexual individuals. *Frontiers in Psychology*, 8, 1881. <https://doi.org/10.3389/fpsyg.2017.01881>.
- * Rogers, A. H., Bakhshaie, J., Viana, A. G., Manning, K., Mayorga, N. A., Garey, L., Raines, A. M., Schmidt, N. B., & Zvolensky, M. J. (2018). Emotion dysregulation and smoking among treatment-seeking smokers. *Addictive Behaviors*, 79, 124–130. <https://doi.org/10.1016/j.addbeh.2017.12.025>.
- * Rogers, A. H., Bakhshaie, J., Garey, L., Piasecki, T. M., Gallagher, M. W., Schmidt, N. B., & Zvolensky, M. J. (2019). Individual differences in emotion dysregulation and trajectory of withdrawal symptoms during a quit attempt among treatment-seeking smokers. *Behaviour Research and Therapy*, 115, 4–11. <https://doi.org/10.1016/j.brat.2018.10.007>.
- * Rogier, G., & Velotti, P. (2018). Narcissistic implications in gambling disorder: The mediating role of emotion dysregulation. *Journal of Gambling Studies*, 34, 1241–1260. <https://doi.org/10.1007/s10899-018-9759-x>.
- * Rogier, G., Capone, A., & Velotti, P. (2022a). Emotion regulation strategies and dissociation in Gambling Disorder. *International Gambling Studies*, 22(1), 18–36. <https://doi.org/10.1080/14459795.2021.1949622>.
- * Rogier, G., Colombi, F., & Velotti, P. (2022b). A brief report on dysregulation of positive emotions and impulsivity: Their roles in gambling disorder. *Current Psychology*, 41, 1835–1841. <https://doi.org/10.1007/s12144-020-00638-y>.
- * Ruiz de Lara, C. M., Navas, J. F., & Perales, J. C. (2019). The paradoxical relationship between emotion regulation and gambling-related cognitive biases. *PLoS One*, 14, Article e0220668. <https://doi.org/10.1371/journal.pone.0220668>.
- * Sörman, K., Garke, M. Å., Isacson, N. H., Jangard, S., Bjureberg, J., Hellner, C., Sinha, R., & Jayaram-Lindström, N. (2022). Measures of emotion regulation: Convergence and psychometric properties of the difficulties in emotion regulation scale and emotion regulation questionnaire. *Journal of Clinical Psychology*, 78(2), 201–217. <https://doi.org/10.1002/jclp.23206>.
- * Salguero, A., Pilatti, A., Michelini, Y., Rivarola Montejano, G., & Pautassi, R. M. (2022). Factors associated with simultaneous or concurrent use of alcohol and marijuana in Argentina. *Substance Use & Misuse*, 57(7), 1062–1071. <https://doi.org/10.1080/10826084.2022.2063895>.
- * Sancho, M., de Gracia, M., Granero, R., González-Simarro, S., Sánchez, I., Fernández-Andrada, F., Trujols, J., Mallorquí-Bagué, N., Mestre-Bach, G., del Pino-Gutiérrez, A., Mena-Moreno, T., Vintró-Alcaraz, C., Steward, T., Aymamí, N., Gómez-Peña, M., Menchón, J. M., & Jiménez-Murcia, S. (2019). Differences in emotion regulation considering gender, age, and gambling preferences in a sample of gambling disorder patients. *Frontiers in Psychiatry*, 10, 625. <https://doi.org/10.3389/fpsy.2019.00625>.
- * Schick, M. R., Weiss, N. H., Contractor, A., Dixon-Gordon, K. L., & Spillane, N. S. (2019). Depression and risky alcohol use: An examination of the role of difficulties regulating positive emotions in trauma-exposed individuals. *The American Journal of Drug and Alcohol Abuse*, 45, 323–332. <https://doi.org/10.1080/00952990.2019.1572759>.
- * Schreiber, L. R. N., Grant, J. E., & Odlaug, B. L. (2012). Emotion regulation and impulsivity in young adults. *Journal of Psychiatric Research*, 46, 651–658. <https://doi.org/10.1016/j.jpsychires.2012.02.005>.
- * Short, N. A., Oglesby, M. E., Raines, A. M., Zvolensky, M. J., & Schmidt, N. B. (2015). Posttraumatic stress and emotion dysregulation: Relationships with smoking to reduce negative affect and barriers to smoking cessation. *Comprehensive Psychiatry*, 61, 15–22. <https://doi.org/10.1016/j.comppsy.2015.05.007>.
- * Smith, J. E., Brinkman, H. R., Aston, E. R., Zvolensky, M. J., Leyro, T. M., & Farris, S. G. (2023). Difficulties in emotion regulation and ad libitum smoking topography: A secondary analysis. *Addictive Behaviors*, 137, Article 107498. <https://doi.org/10.1016/j.addbeh.2022.107498>.
- * Stappenbeck, C. A., Davis, K. C., Cherf, N., Gulati, N. K., & Kajumulo, K. F. (2016). Emotion regulation difficulties moderate the association between heavy episodic drinking and dating violence perpetration among college men. *Journal of Aggression, Maltreatment & Trauma*, 25, 921–935. <https://doi.org/10.1080/10926771.2016.1232328>.

- * Tang, C. S. Kum, Lim, M. S. M., Koh, J. M., & Cheung, F. Y. L. (2019). Emotion dysregulation mediating associations among work stress, burnout, and problem gambling: A serial multiple mediation model. *Journal of Gambling Studies*, 35, 813–828. <https://doi.org/10.1007/s10899-019-09837-0>.
- * Thiessen, M. S., Walsh, Z., Bird, B. M., & Lafrance, A. (2018). Psychedelic use and intimate partner violence: The role of emotion regulation. *Journal of Psychopharmacology*, 32, 749–755. <https://doi.org/10.1177/0269881118771782>.
- * Thurm, A., Satel, J., Montag, C., Griffiths, M. D., & Pontes, H. M. (2023). The relationship between gambling disorder, stressful life events, gambling-related cognitive distortions, difficulty in emotion regulation, and self-control. *Journal of Gambling Studies*, 39(1), 87–101. <https://doi.org/10.1007/s10899-022-10151-5>.
- * Tripp, J. C., & McDevitt-Murphy, M. E. (2015). Emotion dysregulation facets as moderators of the relationship between PTSD and alcohol misuse. *Addictive Behaviors*, 47, 55–60. <https://doi.org/10.1016/j.addbeh.2015.03.013>.
- * Tripp, J. C., McDevitt-Murphy, M. E., Avery, M. L., & Bracken, K. L. (2015). PTSD symptoms, emotion dysregulation, and alcohol-related consequences among college students with a trauma history. *Journal of Dual Diagnosis*, 11, 107–117. <https://doi.org/10.1080/15504263.2015.1025013>.
- * Uçur, Ö., & Dönmez, Y. E. (2021). Problematic internet gaming in adolescents, and its relationship with emotional regulation and perceived social support. *Psychiatry Research*, 296, Article 113678. <https://doi.org/10.1016/j.psychres.2020.113678>.
- * Veilleux, J. C., Skinner, K. D., Reese, E. D., & Shaver, J. A. (2014). Negative affect intensity influences drinking to cope through facets of emotion dysregulation. *Personality and Individual Differences*, 59, 96–101. <https://doi.org/10.1016/j.paid.2013.11.012>.
- * Vilhena-Churchill, N., & Goldstein, A. L. (2014). Child maltreatment and marijuana problems in young adults: Examining the role of motives and emotion dysregulation. *Child Abuse & Neglect*, 38, 962–972. <https://doi.org/10.1016/j.chiabu.2013.10.009>.
- * Vujanovic, A. A., Marshall-Berenz, E. C., & Zvolensky, M. J. (2011). Posttraumatic stress and alcohol use motives: A test of the incremental and mediating role of distress tolerance. *Journal of Cognitive Psychotherapy*, 25, 130–141. <https://doi.org/10.1891/0889-8391.25.2.130>.
- * Weidberg, S., González-Roz, A., Castaño, Y., & Secades-Villa, R. (2023). Emotion dysregulation in relation to cannabis use and mental health among young adults. *Addictive Behaviors*, 144, Article 107757. <https://doi.org/10.1016/j.addbeh.2023.107757>.
- * Weinberg, A., & Klonsky, E. D. (2009). Measurement of emotion dysregulation in adolescents. *Psychological Assessment*, 21, 616–621. <https://doi.org/10.1037/a0016669>.
- * Weiss, N. H., Darosh, A. G., Contractor, A. A., Forkus, S. R., Dixon-Gordon, K. L., & Sullivan, T. P. (2018a). Heterogeneity in emotion regulation difficulties among women victims of domestic violence: A latent profile analysis. *Journal of Affective Disorders*, 239, 192–200. <https://doi.org/10.1016/j.jad.2018.07.009>.
- * Weiss, N. H., Darosh, A. G., Contractor, A. A., Schick, M. M., & Dixon-Gordon, K. L. (2019a). Confirmatory validation of the factor structure and psychometric properties of the Difficulties in Emotion Regulation Scale-Positive. *Journal of Clinical Psychology*, 75, 1267–1287. <https://doi.org/10.1002/jclp.22768>.
- * Weiss, N. H., Schick, M. R., Contractor, A. A., Reyes, M. E., Suazo, N. C., & Sullivan, T. P. (2020b). Racial/ethnic differences in alcohol and drug misuse among IPV-victimised women: Exploring the role of difficulties regulating positive emotions. *Journal of Interpersonal Violence*, 27(5–6), 2826–2850. <https://doi.org/10.1177/0886260520943735>.
- * Weiss, N. H., Hogan, J., Brem, M., Massa, A. A., Kirby, C. M., & Flanagan, J. C. (2021). Advancing our understanding of the intersection between emotion regulation and alcohol and drug use problems: Dyadic analysis in couples with intimate partner violence and alcohol use disorder. *Drug and Alcohol Dependence*, 228, Article 109066. <https://doi.org/10.1016/j.drugalcdep.2021.109066>.
- * Weiss, N. H., Forkus, S. R., Contractor, A. A., & Dixon-Gordon, K. L. (2020a). The Interplay of negative and positive emotion dysregulation on mental health outcomes among trauma-exposed community individuals. *Psychological Trauma*, 12, 219–226. <https://doi.org/10.1037/tra0000503>.
- * Weiss, N. H., Forkus, S. R., Contractor, A. A., & Schick, M. R. (2018b). Difficulties regulating positive emotions and alcohol and drug misuse: A path analysis. *Addictive Behaviors*, 84, 45–52. <https://doi.org/10.1016/j.addbeh.2018.03.027>.
- * Weiss, N. H., Schick, M. R., Contractor, A. A., & Dixon-Gordon, K. L. (2019b). Posttraumatic stress disorder and substance use: Identifying the underlying role of difficulties regulating positive emotions. *Addictive Behaviors*, 96, 119–126. <https://doi.org/10.1016/j.addbeh.2019.04.029>.
- * Williams, F., & Hasking, P. (2010). Emotion regulation, coping and alcohol use as moderators in the relationship between non-suicidal self-injury and psychological distress. *Prevention Science*, 11, 33–41. <https://doi.org/10.1007/s1121-009-0147-8>.
- * Williams, A. D., Grisham, J. R., Erskine, A., & Cassidy, E. (2012). Deficits in emotion regulation associated with pathological gambling. *British Journal of Clinical Psychology*, 51, 223–238. <https://doi.org/10.1111/j.2044-8260.2011.02022.x>.
- Witteck, C. T., Finserås, T. R., Pallesen, S., Mentzoni, R. A., Hanss, D., Griffiths, M. D., & Molde, H. (2016). Prevalence and predictors of video game addiction: a study based on a national representative sample of gamers. *International Journal of Mental Health and Addiction*, 14, 672–686. <https://doi.org/10.1007/s11469-015-9592-8>.
- * Wolitzky-Taylor, K., Glasner, S., Tanner, A., Ghahremani, D. G., & London, E. D. (2022). Targeting maladaptive reactivity to negative affect in emerging adults with cannabis use disorder: A preliminary test and proof of concept. *Behaviour Research and Therapy*, 150, Article 104032. <https://doi.org/10.1016/j.brat.2022.104032>.
- * Wong, C. C. Y., Paulus, D. J., Lemaire, C., Leonard, A., Sharp, C., Neighbors, C., Brandt, C. P., & Zvolensky, M. J. (2019). Emotion dysregulation: An explanatory construct in the relation between HIV-related stigma and hazardous drinking among persons living with HIV/AIDS. *Stigma and Health*, 4, 293–299. <https://doi.org/10.1037/sah0000113>.
- * Woods-Jaeger, B. A., Nobles, R. H., May, L. W., & Larimer, M. E. (2016). The relationship between emotion regulation, social support, and alcohol-related problems among racially diverse adolescents. *Journal of Child & Adolescent Substance Abuse*, 25, 245–251. <https://doi.org/10.1080/1067828X.2015.1012611>.
- * Wu, Y. Q., Liu, F., Chan, K. Q., Wang, N. X., Zhao, S., Sun, X., Shen, W., & Wang, Z. J. (2022). Childhood psychological maltreatment and internet gaming addiction in Chinese adolescents: Mediation roles of maladaptive emotion regulation strategies and psychosocial problems. *Child Abuse & Neglect*, 129, Article 105669. <https://doi.org/10.1016/j.chiabu.2022.105669>.
- * Yang, M. J., Zvolensky, M. J., & Leyro, T. M. (2017). The indirect effect of panic disorder on smoking cognitions via difficulties in emotion regulation. *Addictive Behaviors*, 72, 126–132. <https://doi.org/10.1016/j.addbeh.2017.03.021>.
- * You, D. S., Rassu, F. S., & Meagher, M. W. (2023). Emotion regulation strategies moderate the impact of negative affect induction on alcohol craving in college drinkers: An experimental paradigm. *Journal of American College Health*, 1–9. <https://doi.org/10.1080/07448481.2021.1942884>.
- * Zhou, H., Hung, E. P. W., Xie, L., Yuan, Z., & Wu, A. M. S. (2022). The application of the intolerance of uncertainty model to gambling urge and involvement. *International Journal of Environmental Research and Public Health*, 19(22), 14738. <https://doi.org/10.3390/ijerph192214738>.
- * Zielinski, M. J., Hill, M. A., & Veilleux, J. C. (2018). Is the first cut really the deepest? Frequency and recency of non-suicidal self-injury in relation to psychopathology and dysregulation. *Psychiatry Research*, 259, 392–397. <https://doi.org/10.1016/j.psychres.2017.10.030>.
- * Zvolensky, M. J., Shepherd, J. M., Bakhshaie, J., Garey, L., Viana, A. G., & Peraza, N. (2019). Emotion dysregulation and cigarette dependence, perceptions of quitting, and problems during quit attempts among Spanish-speaking Latinx adult smokers. *Addictive Behaviors*, 96, 127–132. <https://doi.org/10.1016/j.addbeh.2019.05.002>.