



Erratum

Erratum to “MEntA Program Based on Motivational Interview to Improve Adherence to Treatment of Obstructive Sleep Apnea With Continuous Positive Airway Pressure (CPAP): A Randomized Controlled Trial” [Open Respiratory Archives. 2021;3(2):100088]



David Rudilla^{a,b,*}, Pedro Landete^b, Enrique Zamora^b, Ana Román^a, Inés Vergara^a y Julio Ancochea^b

^a Air Liquide Healthcare Spain, Spain

^b Pneumology, Hospital Universitario de La Princesa, Spain

In the article by Rudilla et al, “MEntA Program Based on Motivational Interview to Improve Adherence to Treatment of Obstructive Sleep Apnea With Continuous Positive Airway Pressure (CPAP): A Randomized Controlled Trial”, published in the issue of the Open Respiratory Archives [Open Respiratory Archives. 2021;3(2):100088], an error was detected in “Material and methods” section of the article.

Where it says:

The study protocol was approved by the Clinical Research Ethics Committee at the participating hospital (Registration number: 3687)

It should say:

The study protocol was approved by the Clinical Research Ethics Committee at the participating hospital (Registration number: 3687) and registered on ClinicalTrials.gov (Identifier: NCT07258264).

Véase contenido relacionado en DOI: <https://doi.org/10.1016/j.opresp.2021.100088>

* Corresponding author.

Correo electrónico: david.rudilla@airliquide.com (D. Rudilla).

<https://doi.org/10.1016/j.opresp.2025.100530>

2659-6636/© 2021 Sociedad Española de Neumología y Cirugía Torácica (SEPAR). Publicado por Elsevier España, S.L.U. Se reservan todos los derechos, incluidos los de minería de texto y datos, entrenamiento de IA y tecnologías similares.