



## FE DE ERRORES

**Fe de errores de «Viral diagnostic criteria for *Feline immunodeficiency virus* and *Feline leukemia virus* infections in domestic cats from Buenos Aires, Argentina» [Rev Argent Microbiol. 2016;48(4):293-297]**



**Erratum to «Viral diagnostic criteria for Feline immunodeficiency virus and Feline leukemia virus infections in domestic cats from Buenos Aires, Argentina» [Rev Argent Microbiol. 2016;48(4):293-297]**

**Sabrina Galdo Novo, Danilo Bucafusco, Leandro M. Diaz y Ana Cristina Bratanich**

*Facultad de Ciencias Veterinarias, Universidad de Buenos Aires, Ciudad Autónoma de Buenos Aires, Buenos Aires, Argentina*

En el artículo publicado anteriormente, se han detectado dos errores en la secuencia de cebadores detallados en la página 3. Se reemplaza la [tabla 1](#) por la siguiente:

**Tabla 1** Primers used for FIV and FeLV n-PCRs. The reverse primer for FIV amplification was the same for both rounds

	Forward	Reverse
External and Internal round FIV	5' GGCATATCCTATTCAAACAG 3'	5' AAGAGTTGCATTTTATATCC 3'
Internal round FIV		5' TCTGCTTGTTGTTCTTGAGT 3'
External round FeLV	5' AAAATTTAGCCAGCTACTGCAG 3'	5' GAAGTCGAACTCTGGTCAACT 3'
Internal round FeLV	5' TTAACAAGTATGTTCCCATG 3'	5' CTGGGGAGCCTGGAGACTGC 3'

<https://doi.org/10.1016/j.ram.2021.09.002>

0325-7541/© 2016 Asociación Argentina de Microbiología. Publicado por Elsevier España, S.L.U. Este es un artículo Open Access bajo la licencia CC BY-NC-ND (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).