



CIRUGÍA y CIRUJANOS

Órgano de difusión científica de la Academia Mexicana de Cirugía
Fundada en 1933

www.amc.org.mx www.elsevier.es/circir



GENERAL INFORMATION

Skin and tissue bank: Operational model for the recovery and preservation of tissues and skin allografts[☆]



Francisco Martínez-Flores^{a,*}, Hugo Sandoval-Zamora^a,
Catalina Machuca-Rodríguez^b, Araceli Barrera-López^a,
Ricardo García-Cavazos^c, Juan Antonio Madinaveitia-Villanueva^d

^a Banco de Piel y Tejidos, Instituto Nacional de Rehabilitación, Secretaría de Salud, México, D.F., Mexico

^b Laboratorio de Terapia Molecular, Facultad de Estudios Superiores-Zaragoza, Universidad Nacional Autónoma de México, México, D.F., Mexico

^c Escuela Superior de Medicina, Instituto Politécnico Nacional, México, D.F., Mexico

^d Dirección Quirúrgica, Instituto Nacional de Rehabilitación, Secretaría de Salud, México, D.F., Mexico

Received 16 October 2014; accepted 16 December 2014

Available online 18 February 2016

KEYWORDS

Tissue bank;
Skin allografts;
Quality control;
Tissue recovery

Abstract Tissue storage is a medical process that is in the regulation and homogenisation phase in the scientific world.

The international standards require the need to ensure safety and efficacy of human allografts such as skin and other tissues. The activities of skin and tissues banks currently involve their recovery, processing, storage and distribution, which are positively correlated with technological and scientific advances present in current biomedical sciences.

A description is presented of the operational model of Skin and Tissue Bank at Instituto Nacional de Rehabilitación as successful case for procurement, recovery and preservation of skin and tissues for therapeutic uses, with high safety and biological quality. The essential and standard guidelines are presented as keystones for a tissue recovery programme based on scientific evidence, and within an ethical and legal framework, as well as to propose a model for complete overview of the donation of tissues and organ programmes in Mexico. Finally, it concludes with essential proposals for improving the efficacy of transplantation of organs and tissue programmes.

© 2015 Academia Mexicana de Cirugía A.C. Published by Masson Doyma México S.A. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

[☆] Please cite this article as: Francisco Martínez-Flores F, Sandoval-Zamora H, Machuca-Rodríguez C, Barrera-López A, García-Cavazos R, Madinaveitia-Villanueva JA. Banco de piel y tejidos: un modelo operativo para la recuperación y preservación de aloinjertos de piel y tejidos. *Cir Cir.* 2016;84:85–92.

* Corresponding author at: Banco de Piel y Tejidos, Dirección Quirúrgica, Instituto Nacional de Rehabilitación, Secretaría de Salud, Calzada México-Xochimilco No. 289, Col.: Arenal de Guadalupe, C.P. 14389, México, D.F., Mexico. Tel.: +52 (55) 5999 1000 ext.14802.

E-mail address: fcomartinez@inr.gob.mx (F. Martínez-Flores).

2444-0507/© 2015 Academia Mexicana de Cirugía A.C. Published by Masson Doyma México S.A. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

PALABRAS CLAVE

Banco de tejidos;
Aloinjertos de piel;
Control de calidad;
Recuperación de
tejidos

Banco de piel y tejidos: un modelo operativo para la recuperación y preservación de aloinjertos de piel y tejidos

Resumen El almacenamiento de tejido es un proceso médico en fase de regulación y homogenización científica en el mundo. Los estándares internacionales exigen garantizar la seguridad y la eficacia de los aloinjertos humanos como piel y otros tejidos. En la actualidad las actividades de los bancos de piel y tejidos involucran la recuperación, procesamiento, almacenamiento y distribución como proceso de desarrollo, que se correlaciona positivamente con los avances tecnológicos y científicos presentes en las ciencias biomédicas actuales.

Se describe el modelo instaurado por el Banco de Piel y de Tejidos del Instituto Nacional de Rehabilitación como un caso exitoso para la procuración, recuperación y preservación de piel con fines terapéuticos, alta seguridad sanitaria y elevada calidad biológica. Se discuten los fundamentos y estándares empleados en el programa actual de recuperación de tejidos con base en la evidencia científica disponible, el contexto ético y el marco jurídico vigente de la donación de tejidos en México. Se concluye con algunas propuestas para mejorar la eficacia de los programas de trasplantes.

© 2015 Academia Mexicana de Cirugía A.C. Publicado por Masson Doyma México S.A. Este es un artículo Open Access bajo la licencia CC BY-NC-ND (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Background

Although several primitive attempts to carry out transplants were rudimentarily described almost 2500 years ago, in the so-called "Sutrasthanam manuscripts",¹ where they appeared as an incipient surgical procedure against the damage caused to the bodies of soldiers, it was not until the beginning of the 20th century that the first documented processes were reported regarding the use of tissues preserved at low temperatures over several days and subsequently replanted into the same donor.²

The Luyet³ and Webster⁴ studies documented freezing as an effective method for the temporary preservation of tissues. In accordance with Wright et al.⁵ Falt and Maragonni reported the first storage procedures of skin from dead bodies using solutions supplemented with 10% serum as a preserving agent.^{5,6} All these steps led to the creation of a new type of establishment from the end of the 1980s, equipped to store skin and other tissues. These installations were latterly known by their generic name as "skin banks".

The use of human allografts is closely related to the development of different methods for the preservation of tissues (Table 1). These strategies are designed to integrate tissue recovery procedures which seek: (1) cellular viability maintenance⁷; (2) the preservation of proteins⁸; (3) the presence of growth factors such as: the epidermal growth factors, the vascular endothelial growth factor, the transforming growth factor beta and pro-inflammatory cytokines (Il-2, Il-6, Il-10 TNF- α alfa); and (4) the complete integrity of tissues. All these factors focus on generating biological products of high quality, with top health safety and of extreme therapeutic value.⁹

The procurement and preservation of tissues is a rapidly and increasingly developed activity which is positively correlated with technological and scientific advances present in biomedical sciences during the 20th century. Furthermore, demand for allografts for therapeutic reasons is projected to increase considerably as a result of the increase in

life expectancy and its concomitant increase in chronic degenerative diseases. The design of successful institutional strategies capable of promoting donation activities and tissue retrieval¹⁰⁻¹² has therefore become imperative.

The aim of our study consisted of describing the current panorama of tissue retrieval and storage with the design of a prototype institutional model authorised by the Banco de Piel y de Tejidos del Instituto Nacional de Rehabilitación (INR) for retrieval and storage of high therapeutic value,

Table 1 Methods for tissue preservation for transplant uses.

Tissue type	Preservation method
Bone	Gamma radiation, lyophilisation, BR/C, chemical disinfection
Cartilage	Gamma radiation, BR/C
Tendon	Gamma radiation, BR/C, chemical disinfection
Cardiovascular tissue (arteries, veins and cardiac valves)	Chemical disinfection, BR/C
Eye tissue (cornea, sclera)	BR/chemical disinfection
Skin and dermis	Gamma radiation, lyophilisation, BR/C, decellularisation and chemical disinfection
Foetal tissues, amnions	Gamma radiation, lyophilisation, BR/C
Bone marrow	Cryopreservation
Blood and blood products	Chemical inactivation and controlled refrigeration
Germ cells	Cryopreservation
BR/C, biological recovery and cryopreservation.	

thanks to the use of scientific principals applied to self sustainability of the health system needs in Mexico.

Worldwide regulation of skin banks

Several international associations which promote protocols and directives for the technical operation of skin and tissue banks¹³⁻¹⁶ were created in order to organise establishment and operations. The following are of note: (1) American Association of Tissue Banks, created in 1972; (2) Euroskin Bank (Bewerjwick, NL) founded in 1976 and called Tissue Bank from 2010; (3) European Association of Tissue Banks, established in 1991; (4) Asociación Española de Bancos de Tejidos, founded in 2002; (5) Asociación de Bancos de Tejidos de Asia-Pacífico; and (6) la Asociación Latinoamericana de Bancos de Tejidos.

All these organisations try to regulate the standardisation of directives for the therapeutic storage and use of tissues for transplant, in conjunction with other governmental, ethical and scientific bodies. The following central points may be highlighted from the international standards: (1) ethical aspects regarding the procurement of tissues based on altruism and not trading; (2) regional regulation of prevailing health laws; (3) administrative organisation; (4) standards for physical installations of tissue banks; (5) recuperation of tissues with pharmaceutical quality and standards; and (6) traceability of preservation processes.

Tissue banks in Mexico

In the Mexican Republic initial activities related to tissue storage were made with bone material. Pioneering procedures took place in the Hospital Central Militar and the Hospital Infantil de México in 1944. During the 1950s similar activities were initiated in Hospital Rubén Leñero and in Hospital Regional de Monterrey.

In 1997 the Hospital Central de Petróleos Mexicanos and the Universidad Nacional Autónoma de México carried out several procedures relating to tissue storage, using the then available international standards. The Banco de Tejidos of the Instituto Nacional de Investigaciones Nucleares (ININ) is prominent here as it began to use gamma radiation to sterilise bone tissues, pig hide and amniotic membranes.

Activities in Skin and Tissue Banks today involve the procurement, processing, storage and distribution of biological products classified by the current Ley General de Salud as "biological supplies" as they include an industrialisation process which guarantees their safety and efficacy.

On 30th January 2013 the national register of the Centro Nacional de Trasplantes recorded 56 establishments classed as Banks, which were regulated jointly with the Comisión Federal de Protección contra Riesgos Sanitarios (COFEPRIS).

Legal framework of tissue banks in Mexico

The Sistema Nacional de Trasplantes (SNT) is a structure located within the Sistema Nacional de Salud, consisting of all the establishments and hospitals possessing a licence to carry out organ or tissue donor transplant activities and cell or tissue bank activities authorised by COFEPRIS. All these bodies are subject to the regulations established by law and

specifically that laid down in Title XIV of Ley General de Salud, in the legal regulations issued on these matters and other directives.¹³

In compliance with prevailing legislation, the Skin and Tissue Bank of the Instituto Nacional de Rehabilitación is authorised to offer organs, tissues and cells for transplant, through organ, tissue extraction, skin and musculoskeletal tissue transplant, and also a tissue bank (skin and musculoskeletal tissue). The legal context enables the Skin and Tissue Bank to have an innovative and far-reaching approach in its procedures model for procurement, preservation and transplant of tissues for therapeutic purposes. This approach includes social aspects for the promotion of an organ and tissue donor culture and the training of highly specialised human resources in donor and tissue preservation matters.

The transplant Committee as a regulating body of Mexican bank activities

The corner stone of the SNT are the Internal Transplant Committees in each hospital. In compliance with article 316 of the Ley General de Salud, these collegiate bodies comprise a health care director and a group of health professionals who are experts in this sector, coordinators in donation and transplant, and the necessary administrative support staff for these procedures.^{13,17}

Although in the strict sense of the word, the main function of a bank is to safeguard tissues until use, this activity should be secondary to the development of preservation activities with traceability of transparency and safety for operators and users. The supervision of these activities was entrusted to the Comisión Federal para la Protección contra Riesgos Sanitarios (COFEPRIS).

Problems with skin and tissues banks in Mexico

Due to the existing lag in adopting this type of establishment the following problems arise in Mexico: (1) there is little experience in the practise of tissue storage; (2) a high learning curve exists and high costs associated with specific training in this area; (3) there is no active training and educational programme for the culture of organ and tissue donation; (4) no integrated model of donation, procurement and cadaveric skin processing exists within the Sistema Nacional de Salud; (5) there is very little financial investment in scientific research aimed at tissue storage; (6) there are problems derived from current legislation and classification of biological tissues as "supplies" in the Ley General de Salud; (7) private companies are competing for tissue donation; (8) the health sector lacks any industrial development for the generation of supplies; (9) ethical problems arise derived from private banks competing for donors, through practices which lack sufficient regulation.

The Skin and Tissue Bank of the Instituto Nacional de Rehabilitación as a prototype model for the recuperation of tissues

Since March 2009, the Skin and Tissue Bank of the Instituto Nacional de Rehabilitación has been the Ministry of Health's




Figure 1 Operational model of the Skin and Tissue Bank of the Instituto Nacional de Rehabilitación. H, hospital; INNyN, Instituto Nacional de Neurología y Neurocirugía; MVS, Manuel Velasco Suarez.

leading tissue bank in tissue storage, within the framework of National Health Institutes. Its mission is to be a centre of excellence in the procurement, processing and storage of skin and other tissues, through the development of a model based on scientific research, the use of new biomedical and molecular state-of-the-art technologies and the education and training of highly specialised human resources.

In addition, the bank provides specialised surgical assistance for the obtention of tissues in procurement hospitals or those generating procurement, as well as their use in allogenic tissue implantation programmes. At the same time it develops donor culture awareness and outreach campaigns.

The bank reiterates the directives and principles established by the Centro Nacional de Trasplantes with the introduction of 5 essential ethical principles: voluntary donation, altruism, solidarity, confidentiality and information.

Standards of the Skin and Tissue Bank for the harvesting of skin and tissue allografts for use in transplants

The model followed by the Skin and Tissue Bank of the Instituto Nacional de Rehabilitación is based on complete integration of the phases involved in the tissue donation and transplant system, with traceability outlined for the procedures in line with ISO-9000-2008 (Fig. 1) regulation.

Harvesting

The procedure for obtaining skin and tissues is made through inter-institutional collaboration with different transplant programmes which meet the criteria established for organ and tissue donation (Table 2). Tissue harvesting

is currently defined as a surgical event (Fig. 2) and as such quality standards for skin recovery surgery must therefore be adhered to.¹⁸

Once informed consent has been obtained from the multiple organ donor’s family and cardiac arrest meets with inclusion criteria (Table 3), in the specific case of skin surface area disinfection processes are carried out based on iodine and alcohol solutions in different concentrations (70–100%), in a surgical area with an aseptic technique.

Table 2 Inclusion and exclusion criteria for organ and tissue donation.

General criteria for organ donation candidates	General criteria for tissue donation candidates
Encephalic death certified for cadaveric donor Certification of loss of life	Encephalic death or certification of loss of life Negative serology for: HIV 1 and 2, HBV, HCV and HLV and VDRL
No significant history of disease which affects the organ to be donated	No history of major disease that affects tissues under consideration
No uncontrolled septic process	Leucocytes under 15,000/dl
No history of extra cranial malignancy	No clinical history of autoimmune diseases
Relative haemodynamic stability	Consider specific exclusion criteria per tissue

VDRL, serological test for syphilis; HBV, hepatitis B virus; HCV, hepatitis C virus; HIV, human immunodeficiency virus; HLV, human lymphotropic virus.



Figure 2 Surgical procurement of skin.

Table 3 Essential directives for the recovery of tissues.

Strict control and assessment of potential donors
Quality control of tissue surgical procurement sites
Systematised procedure for recovery of the cellular viability of tissues based on scientific proof
Microbiological final product certification
Preservation of physical and chemical characteristics and biological properties of tissues
Molecular certification of donors and tissues, based on molecular tests to reduce the waiting time periods for generation of an antigen-antibody response (PCR, PCR in real time)
Traceability of processes
Ethical criteria in donation, based on altruism and non-commercialisation
PCR, polymerase chain reaction.

Recovery and preservation

The concept of recovery focuses on reversing or as much slowing down as possible of cell death, induced by tissue hypoxia and the depletion of nutrients, after the last heart-beat. To do this the tissues are stored in solutions formulated with a physiological pH (7.4) and with buffering agents in the presence of essential nutrients and antibiotics to begin the process of microbial decontamination. Medium term preservation is achieved using cryopreserving solutions and pH stabilisers which enable the tissue to be maintained at a temperature below -80°C . The formulation of these materials is carried out in the preparation laboratory of the tissue and skin bank itself, in keeping with the good manufacturing

practice and good laboratory practice, and are sterilised by filtration.

Microbiological quality certification

The biological quality of the tissues and the microbiological certification are essential standards for tissue preservation. The standard for aerobic, anaerobic and fungal microorganisms identification is to take readings at 7, 14 and 21 days under specific mediums.¹⁹ The microbiological control system is used in tissue quality control protocols, with the use of solution to maintain contact with the recuperation and preservation process (Fig. 3).




Figure 3 Health certification model for skin and tissues. CMV, cytomegalovirus; PCR, polymerase chain reaction; VIH, human virus of immunodeficiency; VHB, hepatitis B virus; VHC, hepatitis C virus.




Figure 4 Polymerase chain reaction in real time for the molecular certification of skin and tissues.

Molecular biology techniques for identification of pathogen agent identification

The gold standard in identifying pathogens is carried out with the identification of genomic segments using the polymerase chain reaction technique (PCR). This technique which was described by Kubitza Mullis and his team²⁰ has a sensitivity rate of 1×10^{-7} ; i.e. it is able to identify an infected cell for every 1×10^7 healthy cells. In the case of certification protocols, the tests which the banks perform are made in real time, searching for the human immunodeficiency virus types 1 and 2, hepatitis B and C; cytomegalovirus and *Treponema pallidum*. Given that the technique is highly specific and sensitive, tests are made in triplicate in a sterilised area and safety cabinet with laminar flow type II-AB. These tests are validated for diagnostic and clinical use in humans and include internal controls (calibrated as negative and positive) for each test with a search in donor blood and tissue (Fig. 4).^{6,20}

Physical infrastructure

At present the bank consists of 5 laboratories, which meet with class 100 regulations and operate according to good manufacturing practice and good laboratory practice. Since this is a national reference centre, the bank used its physical infrastructure meeting with directives from the Federación Española de Bancos de Tejidos and the Asociación Europea de Bancos de Tejidos. It is physically structured according to 3 main areas¹⁰: (1) class 100 inner chamber; (2) administrative area; and (3) support and research areas.

Class 100 inner chamber structure

Laboratory for the preparation of materials

Equipment and materials for the preparation of cleansing, decontamination and maintenance solutions at constant temperature (18 °C), filtered air (class 100) and positive pressure.

Quarantine laboratory

Clean room with constant temperature (18 °C), filtered air (class 100) and positive pressure for recovery and decontamination of tissues. Refrigerators for maintaining a constant temperature (4 °C) in decontamination processes. Class IIAB biological safety cabinet for handling tissue.

Processing laboratory for musculoskeletal tissue

Double-chamber clean room insulated with a constant temperature, filtered air (class 100) and positive pressure aimed at the recovery, cutting and decontamination of musculoskeletal tissue.

Packaging laboratory

Clean room with constant temperature (18 °C), filtered air (class 100) and positive pressure, for final tissue packaging prior to being sent for final freezing. The processes are carried out in a class IIA-B biological safety cabinet for tissue handling. The inner chamber connects with an area for tissue storage and safekeeping.

Tissue storage and safekeeping area (deep freezing)

Restricted access area for tissue storage with temperature support systems, monitoring system in real time for temperature recording and a televised surveillance system. Constant temperature (18 °C) and class 100 filtered air.

Equipment and Sterilisation Centre (CEYE)

Equipment and supplies for validating sterilisation processes of materials and equipment used in procurement processes.

Administrative area

Designed outside central facilities and with restricted access.

Support and research areas

Constituted by a laboratory of multiple uses and with a culture chamber, for the development of research protocols relating to the formulation of materials, cellular death blockage mechanisms and cryobiotic molecular strategies for the purpose of transplants.

Discussion and perspectives

In keeping with the worldwide trend to recuperate tissues for therapeutic uses, the storage of skin and other tissues in the context of healthcare needs and current Mexican medical research several of the following points must be precisely defined to obtain a better therapeutic outcome:

Conceptualise the procurement and harvesting of tissues as a surgical event

This point necessitates a change in the conceptualisation of the obtainment of tissues as a surgical event, with particular emphasis on quality, as recently described in detail in the last amendment to the Ley General de Salud, relating to the regulation governing organs and tissues (12th December 2011).




Figure 5 Meshed human skin allograft recovered for transplant uses.

Defining the type of procedure used in preservation

Each method (chemical decontamination, lyophilisation, gamma sterilisation) has a different effect on the biological, physical and chemical characteristics of the tissue (cellular viability index, loss of water, of elasticity and resistance), and finally, in its posterior usage. In our model the preliminary data indicate that the biological recuperation of tissues represents the method with the best therapeutic outcome, following a long period of freezing at temperatures below 80 °C below zero (Fig. 5).

Traceability of processes

Documentation of each phase of procurement, preservation and liberation of tissue, respecting privacy and confidentiality data.

The traceability of processes must document the critical route of each process and include essential documents such as: (1) manual for specific procurement procedure; (2) manual for specific procedure for recuperation and preservation of tissues; (3) manual for microbiological control and specific tissue quality; (4) procurement protocol for tissue procuring hospitals; (5) clinical files and service formats (microbiological, molecular laboratory, pathology, etc.); (6) manual and records of preventative maintenance of equipment and installations; (7) registry and control of access for general services and microbiological records of environmental controls; and (8) registry and report of activities sent to the Centro Nacional de Trasplantes.

In addition, the following lines of action may have a serious impact on the growth of tissue bank activity:

Integration and growth of a hospital network for increasing regional tissue affluence

Establishing a network for the procurement of tissues involves carrying out a large number of collaboration agreements in tissue procurement matters, for transplant in other

hospital institutions, for the purpose of increasing the identification of potential tissue donors.

Implementation of a research programme in tissue pharmaceutical cryobiotics with therapeutic uses

The aim of this is to promote the design of procurement and cryopreservation protocols for skin and tissues, and also to foster the broadening of scientific research to reduce dependency on imported materials and promote self-sustainability of operations, focused on: (1) scientific procedures for preservation and tissue cryobiology aimed at obtaining high quality biological and therapeutically effective products; (2) generation of materials and patents for the bank's self sustainability; and (3) scientific dissemination of processes used in other institutions.

Implementation of an academic surgical training programme for tissue procurators

Arranging the registration and execution of multi-tissue procurator courses, endorsed by both academic institutions and the Centro Nacional de Trasplantes in Mexico to form specialised and highly trained personnel. Furthermore, to include specific modules on the surgical procedures involved in tissue procurement and transplant in pre-grade modules study programmes.

Advocacy of a more widespread cadaveric skin donation culture

Driving the training programme for leaders who will be the promoters of the culture of organ and tissue donation in collaboration with non-governmental organisations and mass media communication campaigns, with use of social networks and internet.

Last but not least, several ethical considerations have to be readdressed, starting with the fact that the obtainment of tissues is an act of altruistic donation with no profit making or commercialisation and process recuperation quotas must therefore be regulated and defined; this point is also being addressed by the World Health Organisation.

The coordination and integration of the organ and tissue donation and transplant programmes must be carried out with functional, responsible and equitable participation from areas of research, human resources training and health care services.

This model is merely one of the medium term proposals to modify the current tissue recovery setting. Possibly in a couple of decades, similarly to the Spanish model it could become the world leader of organ and tissue donor programmes.

Financing

This study was financed by the Council for Science and Technology through the Fondos Sectoriales de Investigación in Salud CONACYT-FOSIS 2011-1-161624.

Conflict of interests

The authors have no conflict of interests to declare.

References

- Chakrovorty RC. Surgical principles in the Sutrasthanam of the Suśruta samhita management of retained foreign bodies. *Indian J Hist Sci.* 1970;5:113–58.
- Gajiwala K, Lobo Gajiwala A. Used of banked tissue in plastic surgery. *Cell Tissue Bank.* 2003;4:141–6.
- Luyet JB. Differential staining for living and dead cells. *Science.* 1937;85:106.
- Webster JP. Refrigerated skin grafts. *Ann Surg.* 1944;120:431–48.
- Wright GJ, Brockbank KG, Rahn E, Halwani DO, Chen Z, Yao H. Impact of storage solution formulation during refrigerated storage upon chondrocyte viability and cartilage matrix. *Cells Tissues Organs.* 2014;199:51–8.
- Martínez FF, Madinaveitia V, Ibarra JAILG. Banco de piel y tejidos. Análisis biológico, histológico y ultraestructural de aloinjertos de piel criopreservados con fines de trasplante. Editorial Académica Española; 2013. p. 124.
- Gaucher S, Elie C, Vérola O, Jarraya M. Viability of cryopreserved human skin allografts: effects of transport media and cryoprotectant. *Cell Tissue Bank.* 2012;13:147–55.
- Khalifeh T, Baulier E, Le Pape S, Kerforne T, Coudroy R, Maiga S, et al. Strategies to optimize kidney recovery and preservation in transplantation: specific aspects in pediatric transplantation. *Pediatr Nephrol.* 2015;30:1243–54.
- Gagnani A, Cezillo MV, da Silva ID, de Noronha SM, Correa-Noronha SA, Ferreira LM. Gene expression profile of cytokines and receptors of inflammation from cultured keratinocytes of burned patients. *Burns.* 2014;40:947–56.
- Narayan RP. Development of tissue bank. *Indian J Plast Surg.* 2012;45:396–402.
- Ramos Durón LE, Melchor González JM, Carrera Gómez J, Gutiérrez Salgado E, Marín Ramírez MA, Gómez Flores JC. Organización de un banco de tejidos en un servicio de cirugía plástica. *Cir Plas.* 2003;13:81–8.
- Álvarez-San Martín R. Musculoskeletal tissue banks in Mexico. Part I. Regulation and organization. *Acta Ortop Mex.* 2012;26:130–6.
- Ley General de Salud. Diario Oficial de la Federación. Julio 2, 1984. México, D.F. Secretaría de Gobernación [actualizado 12 Dic 2011; accessed 12.08.13]. Available from <http://www.salud.gob.mx/unidades/cdi/nom/compi/rlgsmcsdotcsh.html>
- European Commission. European Group on Ethics in Science and New Technologies (EGE). Ethical aspects of human tissue banking. *Polit Life Sci.* 1998;17:203–8.
- Strong DM, von Versen R. Coding and traceability for products of human origin. *Cell Tissue Bank.* 2010;11:325–7.
- Strong DM, Shinozaki N. Coding and traceability for cells, tissues and organs for transplantation. *Cell Tissue Bank.* 2010;11:305–23.
- Reglamento interior de la Secretaria de Salud. Diario Oficial de la Federación del 19 de enero de 2004. México D.F. [accessed 12.08.13]. Available from http://www.cenatra.salud.gob.mx/descargas/contenido/normatividad/Reglamento.Interior_Secretaria_Salud.pdf
- Singhal GD. The diagnosis and management of accidental burns and allied conditions in ancient Indian surgery. *Anc Sci Life.* 1986;5:205–8.
- Pirnay JP, Verween G, Pascual B, Verbeken G, de Corte P, Rose T, et al. Evaluation of a microbiological screening and acceptance procedure for cryopreserved skin allografts based on 14 day cultures. *Cell Tissue Bank.* 2012;13:287–95.
- Kubista M, Andrade JM, Bengtsson M, Forootan A, Jonák J, Lind K, et al. The real-time polymerase chain reaction. *Mol Aspects Med.* 2006;27:95–125.